


# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-371135R92** Pump, Power Steering 3.75 Lbs.



**For Models:** 330, 340, 460, 560, 660

**A-3063911R93** Pump, Power Steering 8.72 Lbs.



**For Models:** B414, 2300A, 364, 384, 444 Europe


**A-704330R95** Pump, Hydraulic 9.40 Lbs.  
**Replaces:** 3072694R91



**Dim/Info:**  
7.6 GPM

**For Models:** (B414, 2300A, 2424, 354, 364, 444 ALL DSL ENG), 2444 DSL ENG W/O PWR STRG, B275 DSL ENG

**A-37693R94** Pump, Hydraulic (9 GPM) 3.50 Lbs.  
**Replaces:** 368633R92



**Dim/Info:**  
9 GPM


**For Models:** (2404, 2424, 2444, 404, 424, 444 ALL W/ Gas Engine & Power Steering)

**A-384506R94** Pump, Hydraulic 3.58 Lbs.  
**Replaces:** 360689R92, 360945R92




**For Models:** 100, 130, 140, C, SUPER C, 200, 230, SUPER A, SUPER AV

**A-352035R94** Pump, Hydraulic 2.30 Lbs.



**For Models:** CUB, CUB LO-BOY


**A-544017R91** Pump, Hydraulic 3.00 Lbs.  
When replacing 404870R91 pump for Cub 154 Lo-Boy SN <22332 applications, you must also order connector 218-5065 from Case/IH.



**For Models:** CUB 184, (CUB 154, CUB 185 ALL LO-BOY)


**A-93835C92** Pump, Hydraulic Gear 7.00 Lbs.

**Replaces:** 308873A1, 128180C91, 406763R92, 66513C92, 110509C91, 93835C91, 406827R91, 406763R92, 327988A1, 327987A1




**For Models:** 2400, 248, 2500, 258, 268, 278, 3220, 3230, 380B, 385, 395, 4210, 4230, 4240, 454, 464, 484, 485, 495, 574, 584, 585, 595, 595XL, 674, 684, 685, 685XL, 695, 695XL, 784, 785, 884, 885, 885XL, 895, 895XL, 995, C100, C50, C60, C70, C80, C90, CX100, CX50, CX60, CX70, CX80, CX90, HYDRO 84

**A-D53690** Pump, Hydraulic 15.40 Lbs.  
**Replaces:** D49241, D80083, D48950




**For Models:** 480C, 580C, 580F

**A-3147535R93** Pump, Hydraulic 9.90 Lbs.




**For Models:** 644, 743, 744, 745, 745S, 844, 844S

**A-544708R92** Pump, Hydraulic (18 gpm) 12.82 Lbs.




**For Models:** 2400, 454, 574

**A-527397R93** Pump, Hydraulic, 9 GPM MCV 5.32 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.




**For Models:** 1026, 1066, 1206, 1256, 1466, 1468, 1566, 1568, 706, 756, 766, 806, 826, 856, 966

**A-527397R93-E** Pump, Hydraulic, 9 GPM MCV (Economy) 5.32 Lbs.  
This is an economy version of 527397R93-E



**For Models:** 1026, 1066, 1206, 1256, 1466, 1468, 1566, 1568, 706, 756, 766, 806, 826, 856, 966

**A-120114C91** Pump, Hydraulic, 12 GPM MCV 5.32 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.



**For Models:** 1086, 1486, 1568, 1586, 3088, 3688, 786, 886, 986

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH  
CASE-IH

FORD / NEW  
HOLLAND  
FIAT

BELARUS  
BOBCAT  
JCB

JOHN  
DEERE  
KUBOTA

LANDINI  
LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR


SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


**A-120114C91-E** Pump, Hydraulic, 12 GPM MCV (Economy) 5.32 Lbs.  
This is an economy version of 120114C91



AGCO  
ALLIS  
CHALMERS

**DEUTZ** *For Models:* 1086, 1486, 1568, 1586, 3088, 3688, 786, 886, 986

**MASSEY FERGUSON** **A-70931C91** Pump, Main Hitch, 12 GPM 7.88 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.



WHITE/  
OLIVER


**A-371524R1KIT** Back Plate W/ Gasket 0.68 Lbs.

*Dim/Info:*

1

*For Models:* HYDRO 186, 786, 886, 1086, 1486, 1586

**CNH**  
**CASE-IH** **A-70932C91** Pump, Main Hitch, 15 GPM 7.90 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.



FORD / NEW  
HOLLAND


**FIAT** **A-371524R1KIT** Back Plate W/ Gasket 0.68 Lbs.

*Dim/Info:*

1

*For Models:* 1086, 1566, 1568, 1586, 3088, 3288, 3688, 786, 886

**BELARUS**  
**BOBCAT** **A-70933C91** Pump, Hyd Main Hitch, 12 GPM 7.82 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.



JCB

JOHN  
DEERE

KUBOTA

LANDINI


**A-371524R1KIT** Back Plate W/ Gasket 0.68 Lbs.

*Dim/Info:*

1

*For Models:* 1026, 1066, 1206, 1468, 1566, 1568, 21026, 21256, 21456, 2504, 2544, 2606, 2656, 2706, 2756, 2826, 2856, 330, 340, 460, 504, 544, 560, 606, 656, 680, 706, 756, 766, 806, 826, 856, 100 HYDRO, 1466

**LEYLAND**  
**LONG** **A-70935C91** Pump, Hyd Main Hitch, 17 GPM 7.78 Lbs.  
NOTICE: Pump pressure is rated at 2250 PSI, exceeding pressure may damage pump and void warranty.



McCORMICK

OTHER

RENAULT

SAME

VALTRA

**A-371524R1KIT** Back Plate W/ Gasket 0.68 Lbs.

*Dim/Info:*


1

*For Models:* 1026, 1456, 21026, 21456, 2706, 2756, 2826, 2856, 330, 340, 3488, 460, 504, 544, 560, 606, 656, 660, 664, 666, 686, 706, 756, 806, 826, 856, HYDRO 186, HYDRO 70, HYDRO 86

**VERSATILE**  
**YANMAR**  
**ZETOR**


SCHWARTZ  
SPEECO

**A-391351R94** Pump, Power Steering (9 GPM) 3.20 Lbs.




*For Models:* 2544, 2656, 544, 656, 664, 666, 686, HYDRO 70, HYDRO 86

**A-128191C91** Pump, Hydraulic 10.00 Lbs.  
For gas models only.



*For Models:* 300, 350 Gas Only, SUPER H

**A-128190C91** Pump, Hydraulic 10.00 Lbs.  
For block style lines that mount to bottom of pump. For gas models only.



*For Models:* (400, 450, M, SUPER M, SUPER MTA, W9 ALL Gas)

**A-142867C92** Pump, Hydraulic Piston 31.00 Lbs.



*For Models:* 5088, 5288, 5488

**A-382332R1** Gear, Hydraulic Pump Drive 0.87 Lbs.



*Dim/Info:*

19

*For Models:* 1206, 1256, 706, 806, 756 FARMALL SN <17635, INTERNATIONAL SN <8424, 856 FARMALL SN <27286, INTERNATIONAL SN <9492

**A-405181R1** Gear, Hydraulic Pump Drive 0.83 Lbs.




*Dim/Info:*

19


*For Models:* HYDRO 100, 756 FARMALL SN 17636>, INTERNATIONAL SN 8425>, 766, 786, 826, 856 FARMALL SN 27287>, INTERNATIONAL SN 9493>, 886, 966, 986, 1066, 1086, 1456, 1466, 1486, 1566, 1568, 1586, 3088, 3288, 3688, 4156

**A-1263450C92** Pump, Hydraulic Piston 21.00 Lbs.  
Includes Drive Gear



*For Models:* 3388, 3588, 3788, 6388, 6588, 6788, 1586 SN 21000>, 986 SN 24000-27999, 1486 SN 26000-29149, 1086 SN 48000-54999, (3488, 3688 ALL W/ DRAFT CONTROL)

**A-3145248R93** Pump, Hydraulic 5.60 Lbs.




*For Models:* 440, 523, 540, 640, 644, 724, 740, 743, 744, 745, 745S, 840, 844, 844S, 845, 940

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*

# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-3146446R93** Pump, Hydraulic 12.02 Lbs.



**Dim/Info:**  
Tandem pump w/ pressure relief valve.

**For Models:** 1046, 1246, 523, 624 w/ PS, 654, 724, 946

**A-139027C2** Cable, Hydraulic Auxillary Valve Flow Control 0.05 Lbs.



**Dim/Info:**  
20 1/2"

**For Models:** HYDRO 186 SN 12000>, 986 SN 24000-27999, 1086 SN 48000-54999, 1486 SN 26000-29149, 1586 SN 210000>, 3388, 3488, 3588, 3688, 3788, 6388, 6588, 6788

**A-143989C1** Cable, Hydraulic Auxillary Valve Flow Control 0.10 Lbs.



**Dim/Info:**  
39 1/2"


**For Models:** 5088, 5288, 5488

**A-393877R93** MCV Gasket Set 1.00 Lbs.



**For Models:** 706, 2706, 756, 2756, 806, 2806, 826, 2826, 856, 2856, 1206, 21206, 1256, 21256, 1456, 21456, 4156, 1086, 1486, 786, 886, 986

**A-382319R1** Stem, Drive Selector Valve 0.30 Lbs.



**For Models:** 1066, 1086, 1206, 1256, 1456, 1466, 1486, 1566, 1568, 1586, 21206, 21256, 21456, 2706, 2756, 2806, 2826, 2856, 3088, 3288, 3388, 3588, 3688, 3788, 6388, 6588, 6788, 706, 756, 766, 786, 806, 826, 856, 886, 966, 986

**A-96481C2** Hydraulic Remote Control & Clutch Cable 0.94 Lbs.



**Dim/Info:**  
42"


**For Models:** 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250, 8910, 8920, 8930, 8940, 8950

**A-A37570** Pump, Hydraulic 6.00 Lbs.




**For Models:** 580B, 580CK

**A-D126580** Pump, Steering & Equipment 22.60 Lbs.



**For Models:** 580SD, 580D, 585D, 586D SN 987900>, 584D

**A-K207625** Pump, Steering 8.80 Lbs.




**For Models:** 1294, 1394 W/ 2WD

**A-K207451** Pump, Steering 8.80 Lbs.



**For Models:** 1494


**A-K205653** Pump, Steering 9.00 Lbs.



**For Models:** 1690 SN 122113310>


**A-K948432** Pump, Hydrostatic Power Steering 8.29 Lbs.

**Replaces:** K918993




**For Models:** 1210, 1212, 885, 995, 990 SELECT-O-MATIC, 1200 SELECTAMATIC

**A-K957318** Pump, Hydrostatic Power Steering 8.72 Lbs.




**For Models:** 1290, 1390, 1490

**A-88107C92** Motor, Steering w/ Relief Valve 12.30 Lbs.




**For Models:** C100, C50, C60, C70, C80, C90, 380B, (385, 485, 585, 685, 885 ALL SN 18001->), 995

**A-67698C92** Motor, Steering w/o Relief Valve 13.40 Lbs.



**For Models:** 248, 258, 268, 278, 385 SN <-18001, 484, 485 SN <-18001, 584, 585 SN <-18001, 684, 685 SN <-18001, 784, 884, 885 SN <-18001, HYDRO 84

**A-70110C94** Motor, Steering 13.85 Lbs.



**For Models:** 2400A, 2500A, 454, 464, 574, 674

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH  
CASE-IH

FORD / NEW  
HOLLAND  
FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO


\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*

# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

AGCO  
ALLIS  
CHALMERS


**A-K946083** Motor, Power Steering 13.70 Lbs.



**For Models:** 885, 885N, 990, 995, 996, 1190, 1194, 1210, 1212, 1290, 1294, 1390, 1394, 1410, 1412, 1490, 1494, 1594, 1690

DEUTZ  
MASSEY  
FERGUSON

**A-70114C93** Motor, Steering, Tilt 13.96 Lbs.  
For Tilt Steering




**For Models:** (1066, 1466, 1468, 1566, 1568, 766, 966, HYDRO 100 ALL W/ Tilt Steering)

WHITE/  
OLIVER

GNH  
CASE-IH

**A-A139692** Pump, Auxillary Hydraulic 6.60 Lbs.


**Dim/Info:**  
6 GPM



**For Models:** 1070, 1175, 1270, 1370, 1570, 2470, 2670, 970

FORD / NEW  
HOLLAND

**A-K962635** Pump, Hydraulic 7.00 Lbs.  
NOTICE: Pump does not include gear.




**For Models:** 1190, 1194, 1210, 1212, 1294, 1390, 380CK, 885, 885N, 990, 995, (780, 880 ALL SELECTAMATIC)

BELARUS

BOBCAT

**A-K916535** Pump, Tandem Hydraulic 10.80 Lbs.  
This pump with not fit on applications with a Dowty pump.



JOHN  
DEERE

KUBOTA

**For Models:** 1210, 1212, 1290, 1390, 1394, 1410, 1412, 1490, 1494, 885, 990, 995

LANDINI

LEYLAND

**A-K919048** Pump, Hydraulic (Single) 5.43 Lbs.



LONG

McCORMICK

**For Models:** 1210, 1212, 1200 W/ SELECTOMATIC

OTHER

**A-K949605** Pump, Hydraulic 6.56 Lbs.




RENAULT

SAME

**For Models:** 1410, 1412, 1490, 1594

VALTRA

**A-K310386** Pump, Tandem Hydraulic 14.60 Lbs.  
**Replaces:** K952465



VERSATILE


YANMAR

ZETOR

**For Models:** 1594, 1690, 1694

SCHWARTZ  
SPEECO

**A-1346425C1** Pump, Hydraulic w/ Gear Pump (Reman) 46.50 Lbs.  
**Replaces:** A166504




**For Models:** 1896, 2090 Trans SN 16210895->, 2094, 2096, 2290 Trans SN 16210895->, 2294, 3294

**A-1543241C1** Pump, Hydraulic 42.50 Lbs.



**For Models:** 2470

**A-1543242C1** Pump, Hydraulic 42.08 Lbs.  
**Replaces:** A150825



**For Models:** 2870


**A-K917058** Coupling, Hydraulic Pump 1.58 Lbs.

**Dim/Info:**  
2.5" Long



**For Models:** 1210, 1212, 885, 990, 995, 996, 1200 SELECTAMATIC

**A-K200465** Coupler, Hydraulic Pump Drive w/o Air Conditioning 2.38 Lbs.



**For Models:** (1594, 1690 ALL non cab only)

**A-K944947** Coupler, Hydraulic Pump Drive Shaft 1.00 Lbs.

**Dim/Info:**  
1.75" Long



**For Models:** 1210, 1212, 1394, 1410, 1412, 1490, 1494, 1594, 1690, 885, 990, 995, 996

**A-K910538** Coupler, Crankshaft Pulley, Hydraulic Pump 2.32 Lbs.



**For Models:** 1210, 1212, 1410, 1412, 1490, 1494, 885, 995, 996, 990 SELECTAMATIC

**A-K912149** Shaft, Hydraulic Pump Drive 2.48 Lbs.

**Dim/Info:**

9.120"  
Solid end on shaft.  
19



**For Models:** 1210, 1212, 885, 990, 996, 1200 SELECTAMATIC

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*

# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


**A-K944950** Shaft, Hydraulic Pump Drive 2.98 Lbs.



**Dim/Info:**  
9.120"  
Hollow end on shaft.  
19

**For Models:** 1210, 1212, 1410, 1412, 1490, 1494


**A-K200464** Shaft, Hydraulic Pump Drive 1.56 Lbs.



**Dim/Info:**  
4.635"  
19

**For Models:** 1594, 1690

**A-K201984** Coupler, Hydraulic Pump Drive w/ Air Conditioning 2.20 Lbs.



**For Models:** 1594, 1690


**A-D140524** Coupling, Coupler Pump Drive 1.06 Lbs.



**For Models:** 480D, 480LL, 580D, 580SE

**A-VFG1009** Hydraulic Monoblock Spool Valve Sae w/Orb Fittings 9.44 Lbs.

Monoblock, Double Spool, Double Acting, 9 Gallon/Minute Cap., STD. Handles, Spring Return, Inlet Relief Valve, Closed Center Plug & Power Beyond Adapter Available, Pressure & Return Ports Are 7/8" ORB Thread, Service Ports Are 3/4" ORB Thread.



**For Models:** SEVERAL

**A-VFH1009** Joystick 1.66 Lbs.  
For A-VFG1009 monoblock spool valve. 2 cables required.



**For Models:** FITS SEVERAL MODELS


**A-VFH1416** Cable, Remote Control 1.17 Lbs.  
Used on the A-VFH1009 joystick only. Fits all spool valves w/ A-VFH1429 fitting kit. Fits A-VFG1009 monoblock spool valve w/o kit, 2 req.



**Dim/Info:**  
79.5" Length

**For Models:** FITS SEVERAL MODELS

**A-VFH1429** Joystick, Cable Fitting Kit 0.57 Lbs.  
Used on VFG1001 and VFG1003 only.



**For Models:** FITS SEVERAL MODELS

**A-VLC2517** Switch, Push 0.02 Lbs.  
Switch for A-VFH1009 lever.



**For Models:** FITS SEVERAL MODELS

**A-529901R91** Actuator, Hydraulic Control Valve 0.17 Lbs.



**For Models:** 454 SERIES A, 464 SN: < 108144, 574 SN: < 113209, 674 SN: < 106864, 856, 1026, 1456, 1566, 1568, 2400A, 2500A SN: < 113209, 2856, 4156, 4166, 4186, 4366, 4386, 4568, 4586, 4786, 21026, 21456, (1066, 1466, 1468, 766, 966, HYDRO 100 ALL USED W/ VALVES #529910R93 & #529911R93), (1066, 1466, 1468, 766, 966, HYDRO 100 ALL USED W/ VALVES #529912R92 & #61082C91)

**A-K261633** Slave Cylinder Repair Kit 0.05 Lbs.



**For Models:** 1294, 1394, 1494, 1594, 1690, 1694

**A-389164R12** Base, Auxillary Valve, Inner Handle 1.50 Lbs.



**For Models:** 1026, 1066, 1206, 1256, 1456, 1466, 1468, 1566, 1568, 21026, 21206, 21256, 21456, 2706 Farmall SN 19250>, International SN 3000>, 2756, 2806 Farmall SN 14500>, International SN 3400>, 2826, 2856, 706 Farmall SN 19250>, International SN 3000>, 756, 766, 806 Farmall SN 14500>, International SN 3400>, 826, 856, 966, HYDRO 100

**A-544799R1** Washer, Backup 0.01 Lbs.



**Dim/Info:**  
sold in multiples of 5


**For Models:** 1026, 1066, 1086, 1466, 1468, 1486, 1566, 1568, 1586, 21026, 2544, 2656, 2756, 2856, 3088, 3288, 3388, 3588, 3688, 3788, 4166, 4366, 4386, 4568, 4586, 4786, 5088, 5288, 544, 5488, 656, 664, 666, 686, 756, 766, 786, 856, 886, 966, 986, HYDRO 100, HYDRO 186, HYDRO 70, HYDRO 86, HYDRO 3488

**A-384111R91** Lever, Control Tube Support Assembly 0.55 Lbs.



**For Models:** 1026, 1066, 1206, 1256, 1456, 1466, 1566, 1568, 21026, 21206, 21256, 21456, 2706, 2756, 2806, 2826, 2856, 706, 756, 766, 806, 826, 856, 966, HYDRO 100

**A-398316R1** Valve, Control End Cover 5.85 Lbs.  
**Replaces:** 391673R1



**For Models:** (1066, 1206, 1456, 1466, 1468, 1566, 1568, 21206, 21456, 2706, 2756, 2806, 2826, 2856, 706, 756, 766, 806, 826, 856, 966 ALL W/ Power Beyond)

AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

CNH  
CASE-IH

FORD / NEW  
HOLLAND  
FIAT

BELARUS

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight.\*\*\*


# Hydraulic System Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

**A-1272964C94\*** Conversion Kit, IH Remote Couplers To ISO Remote Couplers 3.40 Lbs.  
Upgrade IH Tractors To Accept ISO Male Tips Models 1971-1983

**Dim/Info:**


Converts Lever Style To ISO Male Tips  
Easy Push/Pull Connect & Disconnect  
Reduced Pressure Drop For Longer Life  
Simple Fast Installation  
Patented Dust Cap



AGCO  
ALLIS  
CHALMERS  
DEUTZ  
MASSEY  
FERGUSON  
WHITE/  
OLIVER

**For Models:** 1066, 1086, 1466, 1468, 1486, 1566, 1568, 1586, 3088, 3288, 3388, 3588, 3788, 4366, 4386, 4568, 4586, 4786, 766, 786, 886, 966, HYDRO 100, HYDRO 186, HYDRO 3488, HYDRO 686

**A-142566C91** Valve Assembly, Centering Spring 0.20 Lbs.




**For Models:** 5088, 5288, 5488

CNH  
CASE-IH

**A-A184084** Oil Cooler, Hydraulic 24.26 Lbs.

**Dim/Info:**

20.125"  
20.125"



FORD / NEW  
HOLLAND

**For Models:**

FIAT

**A-44R218** O-Ring 0.03 Lbs.

**Dim/Info:**

1/8  
1 1/4  
sold in multiples of 10



BELARUS

**For Models:** 5120, 5130, 5140, 5220, 5230, 5240, 5250, 9240, 9250, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380, 9390, MX100, MX110, MX120, MX135

BOBCAT

JCB

JOHN  
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ  
SPEECO

\*\*\* Truck icon indicates the item is shipped via truck freight. \*\*\*