


DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Agriquip

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-05869921 <i>For Models:</i>	10 RH	3.937" / 100mm	1.85" / 47mm	.157" / 4mm	.826" / 21mm
A-05870021 <i>For Models: ALL CM SERIES</i>	10 LH	3.937" / 100mm	1.85" / 47mm	.157" / 4mm	.826" / 21mm


Bush Hog

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-526215BH <i>For Models: DM18, DM19, DM7, DM8, DM9, HM5, HM7, HM8</i>	10 RH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-526216BH <i>For Models: DM18, DM19, DM7, DM8, DM9, HM5, HM7, HM8</i>	10 LH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-527748BH <i>For Models: DM180, DM190, DM70, DM80, DM90</i>	9 RH	4.750" / 121mm	2.000" / 50.8mm	.157" / 4mm	.889" / 22.6mm
A-527749BH <i>For Models: DM180, DM190, DM70, DM80, DM90</i>	9 LH	4.750" / 121mm	2.000" / 50.8mm	.157" / 4mm	.889" / 22.6mm
A-527746BH <i>For Models: DM5406, DM5407, DM5408, DM5409</i>	10 RH	4.750" / 121mm	2.000" / 50.8mm	.157" / 4mm	.889" / 22.6mm
A-527747BH <i>For Models: DM5406, DM5407, DM5408, DM5409</i>	10 LH	4.750" / 121mm	2.000" / 50.8mm	.157" / 4mm	.889" / 22.6mm

Case-IH

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-700712888 <i>For Models: 8309, 8312, 8315, 8850</i>	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-700712889 <i>For Models: 8309, 8312, 8315, 8350</i>	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-700711857 <i>For Models: 8309, 8312, 8315, 8850</i>	10 RH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-700711858 <i>For Models: 8309, 8312, 8315, 8850</i>	10 LH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-3164894R3 <i>For Models: 3104, 3106</i>	25	3.780" / 96 mm	1.570" / 40 mm	.140" / 3.5 mm	.750" / 19 mm
A-ZA113384A1 <i>For Models: (3204, 3205, 3206 ALL w/ Heavy Duty Disc), 3309 w/ Heavy Duty Disc</i>	9 RH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
A-ZA113385A1 <i>For Models: (3204, 3205, 3206 ALL w/ Heavy Duty Disc), 3309 w/ Heavy Duty Disc</i>	9 LH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
A-ZA526215 <i>For Models: 3204, 3205, 3206, 3209 ALL w/ Standard Disc</i>	10 RH	4.725" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Case-IH

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-ZA526216	10 LH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: (3204, 3205, 3206, 3209 ALL w/ Standard Disc)</i>					
A-700715575	Type 9	4.252" / 108 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: 8309, 8312, 8315, 8850</i>					
A-700715576	Type 9	4.252" / 108 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: 8309, 8312, 8315, 8850</i>					
A-700713984	Type 8, CCW, 11°	4.213	1.850	-	.728
<i>For Models: 725, 8309, 8312, 8315, 8850, DC515</i>					
A-700713983	Type 8, CW, 11°	4.213	1.850	-	.728
<i>For Models: 725, 8309, 8312, 8315, 8850, DC515</i>					


Claas

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-9775160	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-9781860	1	3.779" / 96mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-9041777	10 LH	3.700" / 94mm	1.570" / 40mm	.120" / 3mm	.750" / 19mm
<i>For Models: CORTO 290F, WM165, WM185, WM210, WM31F</i>					
A-9041787	10 RH	3.700" / 94mm	1.570" / 40mm	.120" / 3mm	.750" / 19mm
<i>For Models: CORTO 290F, WM165, WM185, WM210, WM31F</i>					
A-9782414	1	3.780" / 96mm	1.570" / 40mm	.120" / 3mm	.750" / 19mm
<i>For Models: SEVERAL</i>					
A-9520430	25	4.528" / 115mm	-	.157" / 4mm	.748" / 19mm
<i>For Models: SEVERAL</i>					
A-9520420	25	4.528" / 115mm	-	.157" / 4mm	.748" / 19mm
<i>For Models: SEVERAL</i>					
A-9041778	25	4.528" / 115mm	-	.118" / 3mm	.748" / 19mm
<i>For Models: SEVERAL</i>					
A-9041788	25	4.528" / 115mm	-	.118" / 3mm	.748" / 19mm
<i>For Models: SEVERAL</i>					

Fahr

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-1101901028200	1	3.267" / 83mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-06561542	1	3.78" / 96mm	1.57" / 40mm	.12" / 3mm	.75" / 19mm
<i>For Models: KM2.17, KM2.19, KM2.33, KM20, KM22, KM24, KM25</i>					

DISC MOWER BLADES



Fahr

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-1101701015300 <i>For Models: KM20, KM22), (DRUM MOWER: KM24, KM25</i>	1	3.779" / 96mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
A-1101901027120 <i>For Models: KM20, KM22</i>	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 149mm
A-06561547 <i>For Models: KM2.27</i>	9 LH	3.78" / 96mm	1.61" / 41mm	.12" / 3mm	.75" / 19mm
A-06561546 <i>For Models: KM2.27</i>	9 RH	3.78" / 96mm	1.61" / 41mm	.12" / 3mm	.75" / 19mm

Farendlose


PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-011069 <i>For Models: DISC MOWER - CHECK DIM.</i>	1	3.897" / 99mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm

Fella

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-116948 <i>For Models: FKM2, FKM2H, FKM80</i>	1	3.350" / 85mm	1.610" / 41mm	.17" / 4.3mm	.77" / 19.5mm
A-116954 <i>For Models: KM20, KM22</i>	1	3.779" / 96mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
A-121713 <i>For Models: (SM165, SM240 ALL <1989)</i>	10 RH	3.858" / 98mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
A-121712 <i>For Models: (SM165, SM240 ALL <1989), SM215 <7/1990</i>	10 LH	3.858" / 98mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
A-122330 <i>For Models: (SM165, SM206, SM215, SM216, SM240 ALL 1990>)</i>	10 RH	4.173" / 106mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
A-122329 <i>For Models: (SM165, SM206, SM215, SM216, SM240 ALL 1990>)</i>	10 LH	4.173" / 106mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
A-111725 <i>For Models: SM240</i>	10 RH	4.274" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-111724 <i>For Models: SM240</i>	10 LH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-477741 <i>For Models: DISC MOWER - CHECK DIM.</i>	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Ford / New Holland

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-853820 <i>For Models: 408, 412, 415, 411 SN 711816></i>	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.728" / 18.5mm
A-785609 <i>For Models: 411 S/N <-711815</i>	9 RH	4.566" / 116mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-785608 <i>For Models: 411 S/N <-711815</i>	9 LH	4.566" / 116mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-274097 <i>For Models: 442 SN < Z4750, 452, 462 SN < Z1643</i>	9 RH	3.661" / 93mm	1.575" / 40mm	.120" / 3mm	.640" / 16.25mm
A-274096 <i>For Models: 442 SN < Z4750, 452, 462 SN < Z1643</i>	9 LH	3.661" / 93mm	1.575" / 40mm	.120" / 3mm	.640" / 16.25mm
A-274230 <i>For Models: 442, 462</i>	1	3.779" / 96mm	1.575" / 40mm	.120" / 3mm	.640" / 16.25mm
A-697551 <i>For Models: 442, 462</i>	6	5.039" / 128mm	1.968" / 50mm	.160" / 4mm	.807" - .905" / 20.5mm - 23mm
A-766727 <i>For Models: (442, 452, 462 ALL w/ Standard Disc)</i>	9 RH	3.740" / 95mm	1.772" / 45mm	.140" / 3.6mm	.640" / 16.25mm
A-766726 <i>For Models: (442, 452, 462 ALL w/ Standard Disc)</i>	9 LH	3.740" / 95mm	1.772" / 45mm	.140" / 3.6mm	.640" / 16.25mm
A-784221 <i>For Models: (442, 452, 462, 463, 465 ALL w/ Heavy Duty Disc)</i>	9 RH	4.843" / 123mm	1.772" / 45mm	.160" / 4mm	.716" / 18.2mm
A-784220 <i>For Models: (442, 452, 462, 463, 465 ALL w/ Heavy Duty Disc)</i>	9 LH	4.843" / 123mm	1.772" / 45mm	.160" / 4mm	.716" / 18.2mm
A-9847683 <i>For Models: 1409, 1410, 1411, 1412, 1431, 1432, 1441, 1442, 615, 616, 617</i>	10 RH	4.21" / 107 mm	1.77" / 45 mm	.16" / 4 mm	.90" / 22.8 mm
A-9847684 <i>For Models: 615, 616, 617, 1409, 1410, 1411, 1412, 1431, 1432, 1441, 1442</i>	10 LH	4.21" / 107 mm	1.77" / 45 mm	.16" / 4 mm	.90" / 22.8 mm
A-853819 <i>For Models: 408, 411 SN 711816>, 412, 415</i>	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.728" / 18.5mm

Fort

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-40490006 <i>For Models: SEVERAL</i>	9 LH	3.86" / 98mm	1.77" / 45mm	.14" / 3.5mm	.65" / 16.5mm
A-40490005 <i>For Models: SEVERAL</i>	9 RH	3.86" / 98mm	1.77" / 45mm	.14" / 3.5mm	.65" / 16.5mm

DISC MOWER BLADES



Freudendahl (JF)

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-13800001 <i>For Models: JF-245</i>	9	3.7" / 94mm	1.97" / 50mm	.16" / 4mm	.79"x.94" / 20x24mm
A-13800005 <i>For Models: JF-1900</i>	1	3.7" / 94mm	1.57" / 40mm	.16" / 4mm	.75" / 19mm
A-13800002 <i>For Models: SEVERAL</i>	9	3.7" / 94mm	1.97" / 50mm	.16" / 4mm	.79"x.94" / 20x24mm
A-13800003 <i>For Models: SEVERAL</i>	9	3.7" / 94mm	1.97" / 50mm	.16" / 4mm	.79"x.94" / 20x24mm
A-13800004 <i>For Models: SEVERAL</i>	25	4.33" / 110mm	1.97" / 50mm	.16" / 4mm	.81" / 20.5mm
A-13800006 <i>For Models: SEVERAL</i>	9 LH	3.7" / 94mm	1.65" / 42mm	.16" / 4mm	.75" / 19mm
A-13800007 <i>For Models: SEVERAL</i>	9 RH	3.7" / 94mm	1.65" / 42mm	.16" / 4mm	.75" / 19mm
A-13800013 <i>For Models: SEVERAL</i>	1 HVDTY	3.543" / 90mm	1.772" / 45mm	.157" / 4mm	.807"x.946" / 20.54x24.3mm

Galfre


PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-GA108D <i>For Models: SEVERAL</i>	1	4.252" / 108mm	1.890" / 48 mm	.118" / 3 mm	.827" / 21 mm
A-GA98D <i>For Models: SEVERAL</i>	1	3.937" / 100mm	-	.118" / 3mm	.748" / 19mm
A-GA98P <i>For Models: SEVERAL</i>	25	3.937" / 100mm	-	.118" / 3mm	.748" / 19mm

Gehl

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-125446 <i>For Models: 162 w/ HD Disc, 165, 2340, 2360</i>	9 RH	4.843" / 123 mm	1.772" / 45 mm	.160" / 4 mm	.716" / 18.2 mm
A-125447 <i>For Models: 162 w/ HD Disc, 165, 2340, 2360</i>	9 LH	4.843" / 123 mm	1.772" / 45 mm	.157" / 4 mm	.716" / 18.2 mm
A-613727 <i>For Models: 162 w/ Standard Disc</i>	9 RH	3.740" / 95 mm	1.772" / 45 mm	.139" / 3.5 mm	.640" / 16.25 mm
A-613728 <i>For Models: 162 w/ Standard Disc</i>	9 LH	3.740" / 95 mm	1.772" / 45 mm	.139" / 3.5 mm	.640" / 16.25 mm
A-113269 <i>For Models: 1162, 1165, 2345, 2365</i>	9 RH	4.213" / 107 mm	1.772" / 45 mm	.157" / 4 mm	.716" / 18.2 mm

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


Gehl

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-113268 <i>For Models: 1162, 1165, 2345, 2365</i>	9 LH	4.213" / 107 mm	1.772" / 45 mm	.157" / 4 mm	.728" / 18.5 mm
A-604659 <i>For Models: 2310, 2330 SN <2226, DC1080, DC2350, DM140, DM160</i>	10 RH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-76N921 <i>For Models: 2310, 2330 SN <2226, DC1080, DC2350, DM140, DM160</i>	10	18.5mm (47/64")	120mm (4-23/32")	48mm (1-7/8")	4mm (5/32")
A-612635 <i>For Models: 2330 SN 2226></i>	10 RH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-612634 <i>For Models: 2330 SN 2226></i>	10 LH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-126744 <i>For Models: 2340, 2360</i>	N/A	5.197" / 132mm	1.968" / 50mm	.157" / 4mm	.718" / 18.25mm

Hesston

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-527746NI <i>For Models: (1004, 1005, 1006, 1007, 1008 ALL SN 1010846->)</i>	10 RH	4.750" / 121mm	2.000" / 50.8mm	5/32" / 4mm	.889" / 22.6mm
A-527747NI <i>For Models: (1004, 1005, 1006, 1007, 1008 ALL SN 1010846->)</i>	10 LH	4.750" / 121mm	2.000" / 50.8mm	5/32" / 4mm	.889" / 22.6mm
A-527748NI <i>For Models: (1004, 1005, 1006, 1007, 1008 ALL SN 1010846->)</i>	9 RH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
A-527749NI <i>For Models: (1004, 1005, 1006, 1007, 1008 ALL SN 1010846->)</i>	9 LH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
A-DM304 <i>For Models: 1030, 1040, 1050, 1060</i>	9 RH	3.858" / 98mm	1.575" / 40mm	.157" / 4mm	.640" / 16.25mm
A-DM303 <i>For Models: 1030, 1040, 1050, 1060</i>	9 LH	3.858" / 98mm	1.575" / 40mm	.157" / 4mm	.640" / 16.25mm
A-6616924 <i>For Models: 1180</i>	1	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
A-748095 <i>For Models: 1180</i>	4 LH	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
A-700712888 <i>For Models: 1320, 1340</i>	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-700711857 <i>For Models: 1320, 1340</i>	10 RH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-700711858 <i>For Models: 1320, 1340</i>	10 LH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Hesston

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-700712889 <i>For Models: 1320, 1340, 1360, 1365</i>	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-784095 <i>For Models: SEVERAL</i>	4	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
A-700715575 <i>For Models: 1320, 1340, 1360, 1365, 8070</i>	Type 9	4.252" / 108 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-700715576 <i>For Models: 1320, 1340, 1360, 1365, 8070</i>	Type 9	4.252" / 108 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-700713984 <i>For Models: 1320, 1340, 1360, 1365, 8500, 870</i>	25	4.213	1.850	-	.728
A-700713983 <i>For Models: 1320, 1340, 1360, 1365, 8500, 870</i>	Type 8, CW, 11°	4.213	1.850	-	.728


JF

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-2220101B <i>For Models: SEVERAL</i>	1	3.543" / 90mm	1.772" / 45mm	.157" / 4mm	.807" - .946" / 20.5mm - 24.3mm

John Deere

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-CC21781 <i>For Models: 1326, 1327, 265 S/N 150001->, 270, 275 S/N 152001-></i>	9 RH	4.843" / 123mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-CC21780 <i>For Models: 1326, 1327, 265 S/N 150001->, 270, 275 S/N 152001-></i>	9 LH	4.843" / 123mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-CC26780 <i>For Models: 1350, 1360, 1460, 1470, 910, 920, 930</i>	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-CC26781 <i>For Models: 1350, 1360, 1460, 1470, 910, 920, 930</i>	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-E80206 <i>For Models: 265 S/N <150000, 275 S/N <152000, 730, 735, 910, 915, 916, 920, 925, 926, 930, 935, 936, 945, 946, 955, 956, 990, 1360, 1460</i>	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-E80208 <i>For Models: 265 S/N <150000, 275 S/N <152000, 730, 735, 910, 915, 916, 920, 925, 926, 930, 935, 936, 945, 946, 955, 956, 990, 1360, 1460</i>	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
A-CC19333 <i>For Models: 1314, 1315</i>	9 RH	3.600"	1.575"	.118"	.639"
A-CC19336 <i>For Models: 1314, 1315</i>	9 LH	3.600"	1.575"	.118"	.639"
A-CC20501 <i>For Models: 1314, 1315, 1320, 1326, 1327, 240</i>	9 RH	3.740" / 95mm	1.772" / 45mm	.139" / 3.5mm	.640" / 16.25mm

DISC MOWER BLADES



John Deere


PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-CC20500	9 LH	3.740" / 95mm	1.772" / 45mm	.139" / 3.5mm	.640" / 16.25mm
<i>For Models: 1314, 1315, 1320, 1326, 1327, 240</i>					
A-CC19993	6	5.039" / 128mm	1.968" / 50mm	.157" / 4mm	.728" - .807" / 18.5mm- 20.5mm
<i>For Models: 1320, 1326, 1327</i>					

Krone

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-1466900	10	3.779" / 96mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
<i>For Models: 202, 242, 282, AM167</i>					
A-1466910	10	3.779" / 96mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
<i>For Models: 202, 242, 282, AM167</i>					
A-41474191	10 LH	3.701" / 94mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: 281</i>					
A-1473025	10	3.701" / 94mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: 240, 241, 281 S/N <-5549</i>					
A-1474195	10	3.701" / 94mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: 240, 241, 281 S/N <-5549</i>					
A-13712427	1	3.779" / 96mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-13722427	1	3.267" / 83mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-41410710	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-1466911	10 RH	3.779" / 96mm	1.890" / 50.4mm	.157" / 4mm	.748" / 19mm
<i>For Models: AM202, AM242, AM282</i>					
A-1466901	10 LH	3.779" / 96mm	1.890" / 50.4mm	.157" / 4mm	.748" / 19mm
<i>For Models: AM167, AM202, AM242, AM282</i>					
A-139889	RH	4.409"	1.890"	.157"	.748"
<i>For Models: 323 Shaft Drive</i>					
A-139888	LH	4.409"	1.890"	.157"	.748"
<i>For Models: 323 Shaft Drive</i>					
A-01466901	10 LH	3.78" / 96mm	1.93" / 49mm	.16" / 4mm	.75" / 19mm
<i>For Models: SEVERAL</i>					
A-1446911	10 RH	3.78" / 96mm	1.93" / 49mm	.16" / 4mm	.75" / 19mm
<i>For Models: SEVERAL</i>					
A-1458691	10 LH	3.66" / 93mm	1.85" / 47mm	.12" / 3mm	.75" / 19mm
<i>For Models: SEVERAL</i>					

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Krone


PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-01466901	10 LH	3.78" / 96mm	1.93" / 49mm	.16" / 4mm	.75" / 19mm

For Models: SEVERAL

Kuhn

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-55903310	9 RH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
<i>For Models: (FC200, FC202, FC240P, FC243RTG, FC243TG, FC250, FC280F, FC280P, FC280RTG, FC280TG, FC300, FC301, FC302, FC303, FC313, FC313F, FC350, FC352, FC353, FC4000, FC883, GMD400, GMD500, GMD600, GMD700, GMD800, GMD801, GMD802, GMD802F, GMD883, GMD902 ALL Angled Blade For STD Discs)</i>					
A-55903210	9 LH	4.213" / 107mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
<i>For Models: (FC200, FC202, FC240P, FC243RTG, FC243TG, FC250, FC280F, FC280P, FC280RTG, FC280TG, FC300, FC301, FC302, FC303, FC313, FC313F, FC350, FC352, FC353, FC4000, FC883, GMD400, GMD500, GMD600, GMD700, GMD800, GMD801, GMD802, GMD802F, GMD883, GMD902 ALL Angled Blade For STD Discs)</i>					
A-56150000	1	3.779" / 96mm	1.575" / 40mm	.118" / 3mm	.640" / 16.25mm
<i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Flat STD Blade For STD Discs)</i>					
A-56151310	9 RH	3.740" / 95mm	1.772" / 45mm	.139" / 3.5mm	.640" / 16.25mm
<i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Angled HD Blade For STD Discs)</i>					
A-56151210	9 LH	3.740" / 95mm	1.772" / 45mm	.139" / 3.5mm	.640" / 16.25mm
<i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Angled HD Blade For STD Discs)</i>					
A-56151100	9	3.425" / 87mm	1.575" / 40mm	.118" / 3mm	.640" / 16.25mm
<i>For Models: (GMD44HD, GMD55HD, GMD77HD ALL W/ Heavy Duty Disc)</i>					
A-56151200	9 LH	3.661" / 93mm	1.575" / 40mm	.118" / 3mm	.640" / 16.25mm
<i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Angled STD Blade For STD Discs)</i>					
A-56151300	9 RH	3.661" / 93mm	1.575" / 40mm	.118" / 3mm	.640" / 16.25mm
<i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Angled STD Blade For STD Discs)</i>					
A-56451200	9 LH	4.843" / 123mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
<i>For Models: (GMD500S, GMD55S, GMD600HD, GMD66HD, GMD700HD, GMD77HD, GMD800HD ALL Angled HD Blade For HD Discs)</i>					
A-56451300	9 RH	4.843" / 123mm	1.772" / 45mm	.157" / 4mm	.716" / 18.2mm
<i>For Models: (GMD500S, GMD55S, GMD600HD, GMD66HD, GMD700HD, GMD77HD, GMD800HD ALL Angled HD Blade For HD Discs)</i>					
A-56451210	9	4.843" / 123mm	1.772" / 45mm	.160" / 4mm	.716" / 18.2mm
<i>For Models: (GMD44HD, GMD55HD, GMD66HD, GMD77HD ALL W/ HD Disc)</i>					
A-56450000	6	5.039" / 128mm	1.968" / 50mm	.728" - .807" / 18.5mm - 20.5mm	.728" - .807" / 18.5mm - 20.5mm
<i>For Models: (GMD500S, GMD55S, GMD600HD, GMD66HD, GMD700HD, GMD77HD, GMD800HD ALL Humped Long Blade For HD Discs)</i>					
A-56110300	6	5.039" / 128mm	1.968" / 50mm	.157" / 4mm	.807" - .905" / 20.5mm - 23mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-55906000	9 LH	4.566" / 116mm	1.772" / 45mm	.160" / 4mm	.716" / 18.2mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Kuhn

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-56450002 <i>For Models: SEVERAL</i>	6	5.12" / 130mm	1.97" / 50mm	.16" / 4mm	.73x.81" / 18.5x20.5mm
A-55906100 <i>For Models: DISC MOWER - CHECK DIM.</i>	9 RH	4.566" / 116mm	1.772" / 45mm	.160" / 4mm	.716" / 18.2mm
A-56151000 <i>For Models: SEVERAL</i>	25	3.43"	1.57"	.12"	.64"
A-51651100 <i>For Models: SEVERAL</i>	25	3.43"	1.57"	.12"	.64"
A-56150010 <i>For Models: (FC44, FC55, GMD33, GMD44, GMD55, GMD66, GMD77 ALL Flat HD Blade For STD Discs)</i>	25	3.74"	1.77"	.14"	.64"

Lely

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-4120114730 <i>For Models: OPTIMO 165, OPTIMO 205, OPTIMO 240, OPTIMO 280, SPLENDIMO 320</i>	10 LH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
A-4120114740 <i>For Models: OPTIMO 165, OPTIMO 205, OPTIMO 240, OPTIMO 280, SPLENDIMO 320</i>	10 RH	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm


Long

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-AMI11103 <i>For Models: 2007, 2008, 2009</i>	9 LH	3.78" / 96mm	1.61" / 41mm	.12" / 3mm	.75" / 19mm
A-AMI11104 <i>For Models: 2007, 2008, 2009</i>	9 RH	3.78" / 96mm	1.61" / 41mm	.12" / 3mm	.75" / 19mm
A-BCS31192R <i>For Models: 2084, 2096</i>	10 RH	3.71" / 94mm	1.89" / 48mm	.16" / 4mm	.75" / 19mm
A-BCS31193L <i>For Models: 2084, 2096</i>	10 LH	3.71" / 94mm	1.89" / 48mm	.16" / 4mm	.75" / 19mm

M & W

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-3238725 <i>For Models: HC5, HC6, HC7</i>	10 LH	3.94" / 100mm	1.77" / 45mm	.16" / 4mm	.79" / 20mm
A-3238726 <i>For Models: HC5, HC6, HC7</i>	10 RH	3.94" / 100mm	1.77" / 45mm	.16" / 4mm	.79" / 20mm

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Marangon

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-05869921 <i>For Models: SEVERAL</i>	10 RH	3.937" / 100mm	1.85" / 47mm	.157" / 4mm	.826" / 21mm
A-05870021 <i>For Models: SEVERAL</i>	10 LH	3.937" / 100mm	1.85" / 47mm	.157" / 4mm	.826" / 21mm
A-980204184 <i>For Models: MDN170, MDN210, MDN245, MDN285</i>	10 LH	5.090" / 129mm	1.903" / 48mm	.157" / 4mm	.828" / 21mm
A-980204183 <i>For Models: MDN170, MDN210, MDN245, MDN285</i>	10 LH	5.090" / 129mm	1.903" / 48mm	.157" / 4mm	.828" / 21mm

Massey Ferguson

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-3730224M1 <i>For Models: 125</i>	10 RH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-3730223M1 <i>For Models: 125</i>	10 LH	4.213" / 107 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-3730225M1 <i>For Models: 127</i>	10 LH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
A-3730226M1 <i>For Models: 127</i>	10 RH	4.725" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm


Mortl

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-T673L <i>For Models: SEVERAL</i>	10 LH	3.70" / 94mm	1.85" / 47mm	.12" / 3mm	.91" / 23mm
A-T673R <i>For Models: SEVERAL</i>	10 RH	3.70" / 94mm	1.85" / 47mm	.12" / 3mm	.91" / 23mm
A-T673L <i>For Models: SEVERAL</i>	10 LH	3.70" / 94mm	1.85" / 47mm	.12" / 3mm	.91" / 23mm
A-T673R <i>For Models: SEVERAL</i>	10 RH	3.70" / 94mm	1.85" / 47mm	.12" / 3mm	.91" / 23mm
A-T683L <i>For Models: SEVERAL</i>	9	3.976" / 101mm	-	.118" / 3mm	.906" / 23mm
A-T683R <i>For Models: SEVERAL</i>	9	3.976" / 101mm	-	.118" / 3mm	.906" / 23mm

Mott

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-EF100759 <i>For Models: (74, 88 ALL Course Cut)</i>		10	88		

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

New Idea

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-526216NI	10 LH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: 526, 527, 528, (5209, 5212 ALL SN 9756-16012), (5406, 5407, 5408, 5409 ALL SN 1001159-1007480)</i>					
A-527746NI	10 RH	4.750" / 121mm	2.000" / 50.8mm	5/32" / 4mm	.889" / 22.6mm
<i>For Models: (5209, 5212 ALL SN 16013>), 5312, (5406, 5407, 5408, 5410 ALL SN 1007482>)</i>					
A-527747NI	10 LH	4.750" / 121mm	2.000" / 50.8mm	5/32" / 4mm	.889" / 22.6mm
<i>For Models: (5209, 5212 ALL SN 16013>), 5312, (5406, 5407, 5408, 5410 ALL SN 1007482>)</i>					
A-527748NI	9 RH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
<i>For Models: (5209, 5212 ALL SN 16013>), 5406, 5407, 5410)</i>					
A-526215NI	10 RH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: (5209, 5212 ALL SN 9756-16012), 526, 527, 528, (5406, 5407, 5408, 5409 ALL SN 1001159-1007480)</i>					
A-527749NI	9 LH	4.750" / 121 mm	2.000" / 50.8 mm	.157" / 4 mm	.889" / 22.6 mm
<i>For Models: 5406, 5407, 5410, (5209, 5212 ALL SN 16013>)</i>					

Niemeyer

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-1448261	10 RH	3.543" / 90mm	1.937" / 49mm	.157" / 4mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-1448251	10 LH	3.543" / 90mm	1.937" / 49mm	.157" / 4mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-41473021	10 RH	3.701" / 94mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					

Reese

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-UF0141	9	4.02" / 102mm	1.77" / 45mm	.16" / 4mm	.649" / 16.5mm
<i>For Models: SEVERAL</i>					


Rhino

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-65948	9LH	4.343" / 110mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
<i>For Models: SEVERAL</i>					
A-65947	9 RH	4.343" / 110mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
<i>For Models: SEVERAL</i>					

Sitrex

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-21009431	9 RH	3.740" / 95 mm	1.772" / 45 mm	.139" / 3.5 mm	.640" / 16.25 mm
<i>For Models: SEVERAL Check Dimensions</i>					

DISC MOWER BLADES



Sitrex

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-21009432	9 LH	3.740"	1.772"	.139"	.640"
<i>For Models: SEVERAL Check Dimensions</i>					

Taarup

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-56110300	6	5.039" / 128mm	1.968" / 50mm	.157" / 4mm	.807" - .905" / 20.5mm - 23mm
<i>For Models: 204, 205, 206</i>					
A-16530208	6	5.039" / 128mm	1.968" / 50mm	.157" / 4mm	.728" - .807" / 18.5mm - 20.5mm
<i>For Models: 204, 205, 206</i>					
A-58372000	1	4.291" / 107mm	1.575" / 40mm	.118" / 3mm	.807" / 20.5mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					
A-90261559	10 LH	4.213" / 107mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: SEVERAL Check Dimensions</i>					
A-56110400	9 LH	4.96" / 126mm	1.89" / 48mm	.16" / 23mm	.81x.91" / 20.5x23mm
<i>For Models: SEVERAL</i>					
A-56110900	9 RH	4.96" / 126mm	1.89" / 48mm	.16" / 23mm	.81x.91" / 20.5x23mm
<i>For Models: SEVERAL</i>					
A-90261560	10 RH	4.213" / 107mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					

TAS


PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-121712	10 LH	3.858" / 98mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
<i>For Models: SEVERAL</i>					
A-121713	10 RH	3.858" / 98mm	1.890" / 48mm	.157" / 4mm	.748" / 19mm
<i>For Models: SEVERAL</i>					

Vermeer

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-CM120	4	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
<i>For Models: SEVERAL Check Dimensions</i>					
A-MT452S	1	3.779" / 96 mm	1.575" / 40 mm	.118" / 3 mm	.748" / 19 mm
<i>For Models: SEVERAL Check Dimensions</i>					
A-MT52	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
<i>For Models: SEVERAL</i>					

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Vicon

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-90261560	10 RH	4.213" / 107mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: AM2800, CM216, CM217, CM2200, DMP2800, GMR2800, KM216, KM281 Late Model w/ 3 Blades Per Disc, KM391CP, OM216, OM281</i>					
A-90261559	10 LH	4.213" / 107mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: AM2800, CM216, CM217, CM2200, DMP2800, GMR2800, KM281 Late Model w/ 3 Blades Per Disc, KM391CP, OM216, OM281</i>					
A-B0875102	10 LH	4.224" / 107mm	1.865" / 47mm	.160" / 4mm	.723" / 18mm
<i>For Models: AM2800 Series 27063, AMS2400 Series 27067 & 27146, AMS2800 Series 24147, GMR2800 Series 27038</i>					
A-B0875002	10 RH	4.224" / 107mm	1.865" / 47mm	.160" / 4mm	.723" / 18mm
<i>For Models: AM2800 Series 27063, AMS2400 Series 27067 & 27146, AMS2800 Series 24147, GMR2800 Series 27038</i>					
A-58699	10 LH TWST	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: AM3200, CM165, CM167, CM1700, CM240, CM2400, CM247, DMP2400, DMP3200, KM240, KM241, KM281 Early Model w/ 2 Blades Per Disc, KM321</i>					
A-58700	10 RH TWST	4.724" / 120mm	1.890" / 48mm	.157" / 4mm	.728" / 18.5mm
<i>For Models: AM3200, CM165, CM167, CM1700, CM240, CM2400, CM247, DMP3200, DMP2400, KM240, KM241, KM281 Early Models w/ 2 Blades Per Disc, KM321</i>					
A-90258699	10 LH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: CM165, CM167, CM240, CM247, GMR2400, GMR3200, KM165, KM240, KM241, KM321, OM165, OM241</i>					
A-90258700	10 RH	4.724" / 120 mm	1.890" / 48 mm	.157" / 4 mm	.728" / 18.5 mm
<i>For Models: CM165, CM167, CM240, CM247, GMR2400, GMR3200, KM165, KM240, KM241, KM321, OM165, OM241</i>					


Welger

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-0982150100	1	3.543" / 90mm	1.575" / 40mm	N/A	.748" / 19mm
<i>For Models: DISC MOWER - CHECK DIM.</i>					

Zweeager

PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-CM15	1	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
<i>For Models: 135, 164, 166, 167, 168, 170, 184, 210, CM215</i>					
A-GM165	9	4.41" / 112 mm	1.77" / 45 mm	0.16" / 4 mm	0.73" / 18.5 mm
<i>For Models: 200/240 PZ LAZER</i>					
A-GM166	9	4.41" / 112 mm	1.77" / 45mm	0.16" / 4 mm	0.73" / 18.5 mm
<i>For Models: 200/240 PZ LAZER</i>					
A-CM120	4	4.134" / 105mm	1.850" / 47mm	.118" / 3mm	.827" / 21mm
<i>For Models: 212, 220, 211, 264, CM135, CM166, CM167, CM168, CM170, CM210</i>					
A-DM303	9 LH	3.858" / 98mm	1.575" / 40mm	.157" / 4mm	.640" / 16.25mm
<i>For Models: 230, 265, 275, 320</i>					
A-DM304	9 RH	3.858" / 98mm	1.575" / 40mm	.157" / 4mm	.640" / 16.25mm
<i>For Models: 230, 265, 275, 320</i>					

DISC MOWER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Zweegee					
PART	TYPE	LENGTH (A)	WIDTH (B)	THICKNESS(C)	HOLE DIA. (D)
A-MT52S <i>For Models: 230, 265, 275, 320</i>	1	3.543" / 90mm	1.575" / 40mm	.118" / 3mm	.748" / 19mm
A-TF71 <i>For Models: CM184, CM185, CM186, CM187, CM189, CM190, CM230, CM265, CM270</i>	10 LH	3.7" / 94mm	1.89" / 48mm	.12" / 3mm	.75" / 19mm
A-TF70 <i>For Models: CM184, CM185, CM186, CM187, CM189, CM190, CM230, CM265, CM270</i>	10 RH	3.7" / 94mm	1.89" / 48mm	.12" / 3mm	.75" / 19mm
A-TT97 <i>For Models: CM185H</i>	9	3.78" / 96mm	1.58" / 40mm	.12" / 19mm	.75" / 19mm
A-DM160 <i>For Models: SEVERAL Check Dimensions</i>	9 RH	3.661" / 93 mm	1.575" / 40 mm	.118" / 3 mm	.640" / 16.25 mm
A-DM155 <i>For Models: SEVERAL Check Dimensions</i>	9 LH	3.661" / 93 mm	1.575" / 40 mm	.118" / 3 mm	.640" / 16.25 mm
A-MT452S <i>For Models: SEVERAL Check Dimensions</i>	1	3.779" / 96 mm	1.575" / 40 mm	.118" / 3 mm	.748" / 19 mm
A-M452S <i>For Models: SEVERAL</i>	9	3.78" / 96mm	1.57" / 40mm	.12" / 3mm	.75" / 19mm