


# Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Allis-Chalmers

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-71656144</b> <i>For Models: (MOWER: (608, 610, 710, 7106SP, 712H, 712S, 716H ALL W/ 42" LH CUT))</i>	14.562" / 370mm	1.375" / 35mm	2.50" / 63.5mm	.170" / 4mm	.3906" / 9.922mm	3.0625" / 77.87
<b>A-71656143</b> <i>For Models: (MOWER: (710, 712H, 712S, 7166SP, 716H, 718 ALL LH W/ 48" CUT))</i>	16.687" / 424mm	1.375" / 35mm	2.50" / 63.5mm	.170" / 4mm	.4062" / 10.319mm	3.0625/77.87mm

## Big Bee

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-19B19</b> <i>For Models: (MOWER: SEVERAL 4 FT. FINISHING MOWERS)</i>	19"	0.531"	2.50"	0.250"	N/A	N/A
<b>A-19B20</b> <i>For Models: (MOWER: SEVERAL 5 Ft. Finishing Mower)</i>	20"	0.531"	2.50"	0.250"	N/A	N/A
<b>A-19B25</b> <i>For Models: (MOWER: SEVERAL 6 Ft. Finishing Mower)</i>	25"	0.531"	2.50"	0.250	N/A	N/A


## Bush Hog

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-82324BH</b> <i>For Models: (FINISHING MOWER: 60)</i>	21.00"	.50"	2.25"	.234"	N/A	N/A

## Case-IH

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-59704C1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET 44" cut)</i>	15.125" / 384.17mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
<b>A-59705C1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET 50" Cut)</i>	17.187" / 436.55mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
<b>A-473427R1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 38" cut)</i>	10.25" / 260.35mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	- -
<b>A-477597R1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 42" cut), (MOWER: SEVERAL w/ 42" cut)</i>	22.25" / 565.15mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
<b>A-489393R1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	16.06" / 407.92	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
<b>A-490472R1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	14.50" / 368.3mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
<b>A-487761R1</b> <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	20" / 508mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	-	-
<b>A-477598R1</b> <i>For Models: (MOWER: SEVERAL w/ 42" cut)</i>	11.00" / 279.4mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
<b>A-C24442</b> <i>For Models: (MOWER: SEVERAL)</i>	15.563"	1.250"	2.500"	.187"	.406"	2.625"

# Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Grasshopper

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-320236</b> <i>For Models: (MULCHER: COMMERCIAL)</i>	15"	.500"	2.500"	.204	N/A	N/A
<b>A-320242</b> <i>For Models: (MULCHER: SEVERAL)</i>	21"	.50"	2.50"	.203"	N/A	N/A


## John Deere

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-M141785</b> <i>For Models: (LAWN/GARDEN TRACTOR: (160, 261, 60, FRONT MOUNT ALL 60"), FRONT MOUNT 50", FRONT MOUNT 72", FRONT MOUNT 76"), (COMPACT TRACTOR: 655 W/ Front Mount Mower), (TRACTOR: 70 W/ Front Mount Mower), (COMPACT TRACTOR: (755, 855, 955 ALL W/ Front Mount Mower)), (TRACTOR: (420, 430 ALL W/ 60" Mid Mount Mower), (420, 430 ALL W/ 260 Rotary Mower))</i>	20.50" / 520.70mm	.906" / 23.012mm	2.50" / 63.50mm	.312" / 7.924mm	N/A	N/A
<b>A-M83459</b> <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 160, 165, 170, 175, 180, 185, 240, 245, 260, 265, 285, 320, F510, F525, GT242, GT262, GT275, LT133, LT150, LT155, LT160, LT166, LT180, LX172, LX173, LX176, LX178, LX186, LX188, RX63, RX73, RX75, RX95, STX30, STX38, STX46, SX75, SX95)</i>	19.50" / 495.30mm	.750" / 19.05mm	3.00" / 76.20mm	.203" / 5.15mm	N/A	N/A
<b>A-M112991</b> <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 160, 165, 170, 175, 180, 185, 240, 245, 260, 265, 285, 320, F510, F525, GT242, GT262, GT275, LT133, LT150, LT155, LT160, LT166, LX172, LX173, LX176, LX178, LX186, LX188, RX63, RX73, RX75, RX95, STX30, STX38, STX46, SX75, SX95)</i>	19.50" / 495.30mm	.7031" / 17.85mm	2.50" / 63.50mm	.203" / 5.15mm	N/A	N/A
<b>A-M82408</b> <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 200, 245, 285, 300, 320, F510, F525, LT133, LT155, LT166, RX63, RX73, RX75, RX95, SRX75, SRX95, STX30, STX38, SX75, SX95)</i>	19.50"	.690"	2.50"			
<b>A-AM31100</b> <i>For Models: (LAWN/GARDEN TRACTOR: 116, 116H, 180, 185, F510, F525)</i>	16.00" / 406.40mm	.6875" / 17.462mm	2.00" / 50.8mm	.203" / 5.156mm	N/A	N/A
<b>A-AM30698</b> <i>For Models: (MOWER: 38, 39, 41)</i>	14.00" / 355.60mm	.690" / 17.526mm	2.00" / 50.80mm	.197" / 5.0mm	N/A	4.50" / 114.30mm
<b>A-AM35557</b> <i>For Models: (MOWER: 60)</i>	20.4375" / 519.11mm	.7969" / 20.24mm	2.00" / 50.8mm	.203" / 5.15mm	N/A	N/A

## Kubota

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-70722-34330</b> <i>For Models: (MID MOUNT MOWER: MR6000, RC60-1, RC60-27, RC60-71H, RC60-72, RC60-72H, RC60-82H)</i>	20.437"	.718"	2.000"	.203"	N/A	N/A
<b>A-70712-34330</b> <i>For Models: (MID MOUNT MOWER: RC44G)</i>	15.343"	.718"	2.000"	.187"	.343"	1.500"
<b>A-70712-99010</b> <i>For Models: (MID MOUNT MOWER: RC44G)</i>	15.343"	.718"	2.000"	.187"	.343"	1.500"
<b>A-70080-00777</b> <i>For Models: (REAR MOUNT MOWER: (L3559, L3560, L590 ALL CCW Blade))</i>	20.187"	.625"	2.000"	.187"	N/A	N/A

# Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

## Land Pride

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-890171C</b> <i>For Models:</i>	20.937"	1.000"	2.500"	.203"	N/A	N/A
<b>A-890172C</b> <i>For Models:</i>	24.906"	1.000"	2.500"	.250"	N/A	N/A

## Massey Ferguson

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-517915M1</b> <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 34" Cut)</i>	17.437"	.625"	2.00"	.155"	.187"	2.134"
<b>A-517308M1</b> <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut &amp; Double D Center Hole)</i>	14.937"	.75" x 1.00"	2.00"	.155"	N/A	N/A
<b>A-1041224M1</b> <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut High Lift)</i>	17.063"	.855"	2.00"	.170"	.398"	2.563"
<b>A-3020019M1</b> <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut)</i>	14.50"	.524"	2.00"	.187"	.262"	2.140"

## Miscellaneous

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-JAC330721</b> <i>For Models: (MOWER: SEVERAL Ford)</i>	14.843"	.4375"	2.00"	.149"	.500"	1.625"
<b>A-12891451</b> <i>For Models: (MOWER: SEVERAL King Cutter)</i>	16.00"	.5326"	2.00"	.250"	-	-
<b>A-19MU15</b> <i>For Models: (MOWER: SEVERAL Murray)</i>	-	-	-	-	-	-
<b>A-19MU18</b> <i>For Models: (MOWER: SEVERAL Murray)</i>	18.250"	7/8" X 1"	2.25"	.149"	N/A	N/A
<b>A-18068</b> <i>For Models: (MOWER: SEVERAL Snapper)</i>	26"	1.00"	2.75"	.187"	.5625"	7.50"
<b>A-19SN103</b> <i>For Models: (MOWER: SEVERAL Snapper)</i>	20.687"	.375"	2.75"	.164"	.375"	2.750"


## Murray

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-19MU107</b> <i>For Models: (MOWER: SEVERAL 36" &amp; 38" Cut (for bagger))</i>	19.437"	.850"	2.25"	.140"		

## Progressive Turf

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-TD1011</b> <i>For Models: (FINISHING MOWER: SEAFRONT W/ 92" Tri-Deck)</i>	5/16" X 2-1/2" X 32"					

# Finishing / Lawn Mower Blades



## Sears/ Craftsman

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-19SE15</b> <i>For Models: (MOWER: SEVERAL 38" Cut w/o bagger)</i>	19.375"	.375"	2.250"	.187"	N/A	N/A
<b>A-19SE14</b> <i>For Models: (MOWER: SEVERAL 44" Cut)</i>	15.34	.375"	2.250"	.187"	N/A	N/A

## Snapper

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-18069</b> <i>For Models: (MOWER: SEVERAL 30" Riders)</i>	30.00"	1.0625"	2.750"	.187"	.562"	7.50"
<b>A-19523</b> <i>For Models: (MOWER: SEVERAL 33" Riders)</i>	33.00"	1.0625"	2.750"	.187"	.545"	7.50"
<b>A-19795</b> <i>For Models: (MOWER: SEVERAL w/ 41" STD. &amp; BBC Walk-Behind Tractor)</i>	20.8125"	.385"	2.750"	.164"	.385"	2.750"
<b>A-19879</b> <i>For Models: (MOWER: SEVERAL w/ 42" Cut)</i>	14.50"	.524"	2.00"	.187"	.262"	2.140"

## Woods

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
<b>A-5081WD</b> <i>For Models: (MOWER: SEVERAL)</i>	16.750"	.625"	1.750"	.203"	N/A	N/A
<b>A-6950WD</b> <i>For Models: (MOWER: SEVERAL)</i>	20.187"	.625"	2.000"	.203"	N/A	N/A
<b>A-23825WD</b> <i>For Models: (MOWER: SEVERAL)</i>	20.187"	.625"	2.000"	.203"	N/A	N/A
<b>A-13404WD</b> <i>For Models: (MOWER: SEVERAL)</i>	24.437"	1.000"	2.500"	.203"	N/A	N/A

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.