


Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Allis-Chalmers

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-71656144 <i>For Models: (MOWER: (608, 610, 710, 7106SP, 712H, 712S, 716H ALL W/ 42" LH CUT))</i>	14.562" / 370mm	1.375" / 35mm	2.50" / 63.5mm	.170" / 4mm	.3906" / 9.922mm	3.0625" / 77.87
A-71656143 <i>For Models: (MOWER: (710, 712H, 712S, 7166SP, 716H, 718 ALL LH W/ 48" CUT))</i>	16.687" / 424mm	1.375" / 35mm	2.50" / 63.5mm	.170" / 4mm	.4062" / 10.319mm	3.0625/77.87mm

Big Bee

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-19B19 <i>For Models: (MOWER: SEVERAL 4 FT. FINISHING MOWERS)</i>	19"	0.531"	2.50"	0.250"	N/A	N/A
A-19B20 <i>For Models: (MOWER: SEVERAL 5 Ft. Finishing Mower)</i>	20"	0.531"	2.50"	0.250"	N/A	N/A
A-19B25 <i>For Models: (MOWER: SEVERAL 6 Ft. Finishing Mower)</i>	25"	0.531"	2.50"	0.250	N/A	N/A


Bush Hog

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-82324BH <i>For Models: (FINISHING MOWER: 60)</i>	21.00"	.50"	2.25"	.234"	N/A	N/A

Case-IH

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-59704C1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET 44" cut)</i>	15.125" / 384.17mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
A-59705C1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET 50" Cut)</i>	17.187" / 436.55mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
A-473427R1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 38" cut)</i>	10.25" / 260.35mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	- -
A-477597R1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 42" cut), (MOWER: SEVERAL w/ 42" cut)</i>	22.25" / 565.15mm		.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A N/A
A-489393R1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	16.06" / 407.92	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
A-490472R1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	14.50" / 368.3mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
A-487761R1 <i>For Models: (LAWN/GARDEN TRACTOR: CUB CADET w/ 48" cut)</i>	20" / 508mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	-	-
A-477598R1 <i>For Models: (MOWER: SEVERAL w/ 42" cut)</i>	11.00" / 279.4mm	.750" / 19.05mm	2.50" / 63.5mm	.187" / 4.75mm	N/A	N/A
A-C24442 <i>For Models: (MOWER: SEVERAL)</i>	15.563"	1.250"	2.500"	.187"	.406"	2.625"

Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Grasshopper

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-320236 <i>For Models: (MULCHER: COMMERCIAL)</i>	15"	.500"	2.500"	.204	N/A	N/A
A-320242 <i>For Models: (MULCHER: SEVERAL)</i>	21"	.50"	2.50"	.203"	N/A	N/A


John Deere

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-M141785 <i>For Models: (LAWN/GARDEN TRACTOR: (160, 261, 60, FRONT MOUNT ALL 60"), FRONT MOUNT 50", FRONT MOUNT 72", FRONT MOUNT 76"), (COMPACT TRACTOR: 655 W/ Front Mount Mower), (TRACTOR: 70 W/ Front Mount Mower), (COMPACT TRACTOR: (755, 855, 955 ALL W/ Front Mount Mower)), (TRACTOR: (420, 430 ALL W/ 60" Mid Mount Mower), (420, 430 ALL W/ 260 Rotary Mower))</i>	20.50" / 520.70mm	.906" / 23.012mm	2.50" / 63.50mm	.312" / 7.924mm	N/A	N/A
A-M83459 <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 160, 165, 170, 175, 180, 185, 240, 245, 260, 265, 285, 320, F510, F525, GT242, GT262, GT275, LT133, LT150, LT155, LT160, LT166, LT180, LX172, LX173, LX176, LX178, LX186, LX188, RX63, RX73, RX75, RX95, STX30, STX38, STX46, SX75, SX95)</i>	19.50" / 495.30mm	.750" / 19.05mm	3.00" / 76.20mm	.203" / 5.15mm	N/A	N/A
A-M112991 <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 160, 165, 170, 175, 180, 185, 240, 245, 260, 265, 285, 320, F510, F525, GT242, GT262, GT275, LT133, LT150, LT155, LT160, LT166, LX172, LX173, LX176, LX178, LX186, LX188, RX63, RX73, RX75, RX95, STX30, STX38, STX46, SX75, SX95)</i>	19.50" / 495.30mm	.7031" / 17.85mm	2.50" / 63.50mm	.203" / 5.15mm	N/A	N/A
A-M82408 <i>For Models: (LAWN/GARDEN TRACTOR: 108, 111, 111H, 112L, 116, 116H, 200, 245, 285, 300, 320, F510, F525, LT133, LT155, LT166, RX63, RX73, RX75, RX95, SRX75, SRX95, STX30, STX38, SX75, SX95)</i>	19.50"	.690"	2.50"			
A-AM31100 <i>For Models: (LAWN/GARDEN TRACTOR: 116, 116H, 180, 185, F510, F525)</i>	16.00" / 406.40mm	.6875" / 17.462mm	2.00" / 50.8mm	.203" / 5.156mm	N/A	N/A
A-AM30698 <i>For Models: (MOWER: 38, 39, 41)</i>	14.00" / 355.60mm	.690" / 17.526mm	2.00" / 50.80mm	.197" / 5.0mm	N/A	4.50" / 114.30mm
A-AM35557 <i>For Models: (MOWER: 60)</i>	20.4375" / 519.11mm	.7969" / 20.24mm	2.00" / 50.8mm	.203" / 5.15mm	N/A	N/A

Kubota

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-70722-34330 <i>For Models: (MID MOUNT MOWER: MR6000, RC60-1, RC60-27, RC60-71H, RC60-72, RC60-72H, RC60-82H)</i>	20.437"	.718"	2.000"	.203"	N/A	N/A
A-70712-34330 <i>For Models: (MID MOUNT MOWER: RC44G)</i>	15.343"	.718"	2.000"	.187"	.343"	1.500"
A-70712-99010 <i>For Models: (MID MOUNT MOWER: RC44G)</i>	15.343"	.718"	2.000"	.187"	.343"	1.500"
A-70080-00777 <i>For Models: (REAR MOUNT MOWER: (L3559, L3560, L590 ALL CCW Blade))</i>	20.187"	.625"	2.000"	.187"	N/A	N/A

Finishing / Lawn Mower Blades



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

Land Pride

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-890171C <i>For Models:</i>	20.937"	1.000"	2.500"	.203"	N/A	N/A
A-890172C <i>For Models:</i>	24.906"	1.000"	2.500"	.250"	N/A	N/A

Massey Ferguson

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-517915M1 <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 34" Cut)</i>	17.437"	.625"	2.00"	.155"	.187"	2.134"
A-517308M1 <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut & Double D Center Hole)</i>	14.937"	.75" x 1.00"	2.00"	.155"	N/A	N/A
A-1041224M1 <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut High Lift)</i>	17.063"	.855"	2.00"	.170"	.398"	2.563"
A-3020019M1 <i>For Models: (LAWN/GARDEN TRACTOR: SEVERAL W/ 42" Cut)</i>	14.50"	.524"	2.00"	.187"	.262"	2.140"

Miscellaneous

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-JAC330721 <i>For Models: (MOWER: SEVERAL Ford)</i>	14.843"	.4375"	2.00"	.149"	.500"	1.625"
A-12891451 <i>For Models: (MOWER: SEVERAL King Cutter)</i>	16.00"	.5326"	2.00"	.250"	-	-
A-19MU15 <i>For Models: (MOWER: SEVERAL Murray)</i>	-	-	-	-	-	-
A-19MU18 <i>For Models: (MOWER: SEVERAL Murray)</i>	18.250"	7/8" X 1"	2.25"	.149"	N/A	N/A
A-18068 <i>For Models: (MOWER: SEVERAL Snapper)</i>	26"	1.00"	2.75"	.187"	.5625"	7.50"
A-19SN103 <i>For Models: (MOWER: SEVERAL Snapper)</i>	20.687"	.375"	2.75"	.164"	.375"	2.750"


Murray

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-19MU107 <i>For Models: (MOWER: SEVERAL 36" & 38" Cut (for bagger))</i>	19.437"	.850"	2.25"	.140"		

Progressive Turf

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-TD1011 <i>For Models: (FINISHING MOWER: SEAFRONT W/ 92" Tri-Deck)</i>	5/16" X 2-1/2" X 32"					

Finishing / Lawn Mower Blades



Sears/ Craftsman

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-19SE15 <i>For Models: (MOWER: SEVERAL 38" Cut w/o bagger)</i>	19.375"	.375"	2.250"	.187"	N/A	N/A
A-19SE14 <i>For Models: (MOWER: SEVERAL 44" Cut)</i>	15.34	.375"	2.250"	.187"	N/A	N/A

Snapper

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-18069 <i>For Models: (MOWER: SEVERAL 30" Riders)</i>	30.00"	1.0625"	2.750"	.187"	.562"	7.50"
A-19523 <i>For Models: (MOWER: SEVERAL 33" Riders)</i>	33.00"	1.0625"	2.750"	.187"	.545"	7.50"
A-19795 <i>For Models: (MOWER: SEVERAL w/ 41" STD. & BBC Walk-Behind Tractor)</i>	20.8125"	.385"	2.750"	.164"	.385"	2.750"
A-19879 <i>For Models: (MOWER: SEVERAL w/ 42" Cut)</i>	14.50"	.524"	2.00"	.187"	.262"	2.140"

Woods

PART	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS(D)	OUTER HOLE DIA. (E)	HOLE CTR-CTR (F)
A-5081WD <i>For Models: (MOWER: SEVERAL)</i>	16.750"	.625"	1.750"	.203"	N/A	N/A
A-6950WD <i>For Models: (MOWER: SEVERAL)</i>	20.187"	.625"	2.000"	.203"	N/A	N/A
A-23825WD <i>For Models: (MOWER: SEVERAL)</i>	20.187"	.625"	2.000"	.203"	N/A	N/A
A-13404WD <i>For Models: (MOWER: SEVERAL)</i>	24.437"	1.000"	2.500"	.203"	N/A	N/A

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.