

Moldboard Plow Information

TILLAGE

Moldboard Plow

The primary purpose of the moldboard plow is to completely turn the soil to a depth of from 8 to 14 inches. This places the residue which was on top of the soil either under the soil or mixed with the soil.

There are two basic types of moldboard plows:

- 1) One way moldboard plow — the original and still most popular plow. Soil is always turned to the right hand side.
- 2) Two way or rollover plow — has two sets of bottoms; $\frac{1}{2}$ being right hand and the other $\frac{1}{2}$ being left hand.

All moldboard plows have three parts in common. The frame, the beam, and the frog. The beam attaches to the frame of the plow and the frog attaches to the beam. The frog and its attached components, the share, shin, landside and moldboard, is the part that engages the soil.

Moldboard Plow Terms

Deep Suck — Penetration point of the plow share that enables the share to "pull" itself into the soil.

Flat-Blade Type Share — Has no deep suck penetration point.


Full Cut Share — Cutting edge extends outwards at both ends of plow share to cut full width that share was designed for.

Narrow Cut Share — Back, or rear cutting edge of plow share cut off "shorter" to cut less than full cut plow was designed for.

Shin — A replaceable extension for the front of the moldboard where the most wear is encountered.


Landside — Heavy steel or cast iron plate bolted to the frog assembly to counteract the natural tendency of the plow to constantly run into the land.

Wear Pad — A piece of steel bolted to the landside wear face that can be reversed and then replaced at less cost than the entire landside assembly.




TECHNICAL INFORMATION - LANDSIDES


107980 Landside — FORD — Front Landside
 107980 R.H. Shown
 108427 L.H. Opposite
 General Purpose Bottom




T10856 Landside — CASE PLOWS — Front or Rear Landside for EX Series Bottoms




107981 Landside — FORD — Rear Landside
 107981 R.H. Shown
 108429 L.H. Opposite
 General Purpose Bottom



522342 Landside — IHC — "Front" Landside
 Right Hand Shown
 Left Hand Opposite
 Super Chief Bottom



522343 Landside — IHC — "Rear" Landside
 Right Hand Shown
 Left Hand Opposite
 Super Chief Bottom




TILLAGE

8206 Landside — JOHN DEERE — Rear Landside for "HS" Series Plows (prior to '67-'68)

8206 R.H. Shown


L.H. Opposite



8207 Landside — JOHN DEERE — Front Landside for "HS" Series Plows (prior to '67-'68)

8207 R.H. Shown

L.H. Opposite



A16493 Landside — JOHN DEERE


Front or Rear Landside for all "HS" or "NU" Series Plow Bottoms. Use with AA 15262 Wear Pad.

AA15262 R.H. Shown

AA15263 L.H. Opposite

For AA15611 Use 1 A6493 & 1 AA15262 Bolt Pkg. LB2 & LB3

For AA15612 Use 1 A6494 & 1 AA15263 Bolt Pkg. LB2 & LB3




AA15262 Wear Pad — JOHN DEERE HS & NU

A16493 R.H. Shown

A16494 L.H. Opposite

For AA15611 Use 1 A16493 & 1 AA15262 Bolt Pkg. LB2 & LB3


For AA15612 Use 1 A16494 & 1 AA15263 Bolt Pkg. LB2 & LB3



TILLAGE


Technical drawing of a rectangular plate with dimensions and callouts:

- Dimensions:**
 - Overall width: 17 1/8"
 - Overall height: 4 1/8"
 - Top edge slope: 60°
 - Bottom edge slope: 15°
 - Left side vertical segment: 1 1/2"
 - Right side vertical segment: 2 1/8"
 - Horizontal distance from left edge to first hole center: 3 1/2"
 - Horizontal distance between second and third hole centers: 10 1/2"
 - Horizontal distance from fourth hole center to right edge: 15 1/8"
- Holes:**
 - Four circular holes, each with a diameter of 1/2" Dia.
 - The first three holes are located along the top edge.
 - The fourth hole is located on the bottom edge.
- Callouts:**
 - "No. 3 for No. 3 Hd. Flaw Bolt" (pointing to the first hole)
 - "Stand Part No. On Buck Side" (pointing to the second hole)
 - "No. 3 for No. 3 Hd. Flaw Bolt" (pointing to the third hole)
 - "1/2" Dia. 2 Pcs." (pointing to the fourth hole)



T51968 OFFSET LANDSIDE


3/8 X 1-1/2-5/8 X 2-1/2 - 1/2 X 2-1/4-7/16 X 1-1/2



489465 RH LANDSIDE


542417 LH LANDSIDE

7/16 X 1-3/4 - 7/16 X 1-3/4



A27862 LANDSIDE

5/8 X 3-1/2-5/8 X 3-1/2




661580 LH LANDSIDE


7/16 X 1-3/4 - 7/16 X 1-1/4

ALLIS CHALMERS


AA14-4RS




AC16-4RS




AM14-4RS



AM16-4RS




AM18-4RS




FORD


FF12-2RS




FF14-3RS




FF16-3RS




FF14-4RS



FF16-4RS FF16-4LRS




FF18-5RS




IHC


MI14-3RS



MI16-3RS




IH14-4RS




IH16-4RS

IH16-4LRS




IH18-4RS

IH18-4LRS




J. I. CASE

CA16-3RS




CA16-4RS

CA16-4LRS




JOHN DEERE


JD14-3RS



JD16-3RS




JD14-4RS




TILLAGE

JOHN DEERE


JD16-4RS JD16-4LRS



JD18-5RS JD18-5LRS




JD18-3RS




MASSEY FERGUSON


MI14-3RS




MI16-3RS




MF14-4RS



MF16-4RS MF16-4LRS




MF18-4RS MF18-4LRS




MELROE


MM14-4RS




MM16-4RS




MM18-4RS



MR16-4RS




MR18-4RS




OLIVER-WHITE-M&M


OM14-4RS




OM16-4RS OM16-4LRS




OM18-5RS OM18-5LRS




OC16-4RS OC16-4LRS




OC18-5RS OC18-5LRS



OC20-5RS




OD18-5RS




TECHNICAL INFORMATION - PLOWSHARES

DMI

DM16-4RS




DM18-4RS




WATTS

WA18-4RS




BAKER

BA25-6RS




WIL-RICH

WR16-4RS




WR18-4RS




HARRELL

HA24-5RS



JOHN DEERE


JD24-4RS








TECHNICAL INFORMATION - MOLDBOARDS

TILLAGE



ALLIS CHALMERS





JOHN DEERE




FORD



IHC




MASSEY FERGUSON




TECHNICAL INFORMATION - MOLDBOARDS AND SHINS

OLIVER/WHITE




SHINS





ALLIS CHALMERS




CASE




JOHN DEERE




FORD




IHC



MASSEY FERGUSON



OLIVER/WHITE



PLOWSHARES

SHARES — UPSET FORGED

Note: All Upset Forged Shares are right hand only.

S26-0140



- 3/8" Thick
- Heat-Treated
- Painted Black Finish
- Sold In Cartons of 6 Only
- Long Wearing, High Carbon Steel

Order Number	Replaces / OEM Number	Size	Application	No. of Bolts Required	Bolt Sizes Required
ALLIS CHALMERS					
S26-0509	347750	16"	387 Series	4	1) 1/2" x 1-1/2" & 3) 7/16" x 1-3/16"
S26-0510	573307	18"	387 Series	4	1) 1/2" x 1-1/2" & 3) 7/16" x 1-3/16"
J.I. CASE					
S26-0517	T39134	14"	EX A, B, C, D, E	4	1) 1/2" x 1-1/4" & 3) 3/8" x 1-3/16"
S26-0518	T39135	16"	EX A, B, C, D, E	4	1) 1/2" x 1-1/4" & 3) 3/8" x 1-3/16"
FORD					
S26-0520	7100369	14"	Heavy Duty	4	1) 7/16" x 1-1/2" & 3) 7/16" x 1-3/16"
S26-0521	7100370	16"	Heavy Duty	4	1) 7/16" x 1-1/2" & 3) 7/16" x 1-3/16"
INTERNATIONAL HARVESTER-(CASE-IH)					
S26-0140	463236R1, 463240R1, 463239R1	14"	Super Chief	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
S26-0141	463237R1, 463241R1, 464343R1	16"	Super Chief	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
S26-0142	463238R1	18"	Super Chief	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
JOHN DEERE					
S26-0056	A10225, A10221, A10222, A10226	14"	HS350, 400, 500, NU	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-3/4"
S26-0058	A10227, A10223, A10224, A10228	16"	HS356, 400, 500, SDT & NU	4	1) 1/2" x 1-1/4" & 3) 7/16" x 1-3/16"
S26-0060	A14243, A14224	18"	NU Bottoms	4	1) 1/2" x 1-1/4" & 3) 7/16" x 1-3/16"
S26-0452	A42808, A30951	18"	NU 450 Metric	3	3) M16 x M35
MASSEY FERGUSON					
S26-0522	475715M1, 475716M1	16"	N Heavy Duty	4	4) 1/2" x 1-3/8"
S26-0530	475823M1	18"	N Heavy Duty	4	4) 1/2" x 1-3/8"
S26-0531	475823M1	18" LH	N Heavy Duty	4	4) 1/2" x 1-3/8"
MELROE					
S26-0204	6526832	16"	General Purpose 992	4	4) 7/16" x 1-1/4"
S26-0203	6526829	18"	General Purpose 992	4	4) 7/16" x 1-1/4"
WHITE / OLIVER					
S26-0251	219615BS, RCA4R, RCA4S	14" Hvy Curved	619, 625, 719, 819 & 434	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
S26-0302	219617BS, RCA6R, RCA6S	16" Hvy Curved	619, 625, 719, 819 & 434	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
S26-0303	219617BS, RCA6R, RCA6S	16" LH Hvy Curved	619, 625, 719, 819 & 434	4	1) 1/2" x 1-3/8" & 3) 7/16" x 1-1/4"
S26-0253	219619BS, RCA8R, RCA8S	18" Hvy Curved	619, 625, 719, 819 & 434	5	1) 1/2" x 1-3/8" & 4) 7/16" x 1-1/4"
S26-0254	219619BS, RCA8R, RCA8S	18" LH Hvy Curved	619, 625, 719, 819 & 434	5	1) 1/2" x 1-3/8" & 4) 7/16" x 1-1/4"
WILRICH					
S26-0350	215806, A4255,	18"	General Purpose	4	4) 1/2" x 1-3/8"

TILLAGE

PLOWSHARES

SHARES — RIBBED

Note: All Ribbed Shares are right hand unless otherwise noted in "Description" column.

AC164RS

MADE IN THE U.S.A

- 3/8" Thick
- Heat-Treated
- Painted Black Finish
- 1080 High Carbon Steel
- Hardware Not Included
- Sold In Cartons of 6 Only, except Baker

Get the
Adams Edge™



TILLAGE

Order Number	Replaces/ OEM Number	Size/Application	Description	No. of Bolts Required	Bolt Sizes Required
ALLIS CHALMERS (DROPPED FRONT HOLE)					
AM164RS	347749, 572184	16", 387 Series	Plain	4	1)1/2" & 3)7/16"
AM164RSH	347749, 572184	16", 387 Series	Hardfaced	4	1)1/2" & 3)7/16"
AM184RS	573307	18", 387 Series	Plain	4	1)1/2" & 3)7/16"
AM184RSH	573307	18", 387 Series	Hardfaced	4	1)1/2" & 3)7/16"

BAKER

BA256RS	SB100, 5/box	18" Switch Plow	Plain	6	6)1/2" #3 Plow Bolt
BA256RSHFS	SB100, 5/box	18" Switch Plow	Hardfaced, Front Side	6	6)1/2" #3 Plow Bolt

J.I. CASE

CA163RS	EE16A, T39128	16", EXA,B,C,D,E	Plain	3	1)1/2" & 2)3/8"
CA163RSH	EE16A, T39128	16", EXA,B,C,D,E	Hardfaced	3	1)1/2" & 2)3/8"
CA164LRS	EE16FM, T39135	16", EXA,B,C,D,E	Plain, Left Hand	4	1)1/2" & 3)3/8"
CA164RS	EE16FM, T39135	16", EXA,B,C,D,E	Plain	4	1)1/2" & 3)3/8"
CA164RSH	EE16FM, T39135	16", EXA,B,C,D,E	Hardfaced	4	1)1/2" & 3)3/8"

Note: For Newer Case Plows, Use White/Oliver "OC" Shares.

FORD

FF143RS	105205, 104410	14", All	Plain	3	3)7/16"
FF144RS	7102453, 251423, 7100369	14", All	Plain, Heavy Duty	4	4)7/16"
FF163RS	105207, 104413	16", All	Plain	3	3)7/16"
FF164LRS	201581, 251426, 7100370	16", All	Plain, Heavy Duty, Left	4	4)7/16"
FF164RS	201581, 251426, 7100370	16", All	Plain, Heavy Duty	4	4)7/16"
FF164RSH	201581, 251426, 7100370	16", All	Hardfaced, Heavy Duty	4	4)7/16"
FF185LRS	7102455, 251432, 7101980	18", General Purpose	Plain, Heavy Duty, Left	5	5)7/16"
FF185RS	7102455, 251432, 7101980	18", General Purpose	Plain, Heavy Duty	5	5)7/16"

Note: For Ford plows series 150, 151, 152, use White/Oliver "OC" shares

HARRELL

HA245RS	7900636	18"	Switch Plow, Plain	5	5)7/16"
HA245RSHBS	7900636	18"	Switch Plow, Hardfaced, Back Side	5	5)7/16"
HA245RSHFS	7900636	18"	Switch Plow, Hardfaced, Front Side	5	5)7/16"

INTERNATIONAL HARVESTER (CASE-IH) SUPER CHIEF

IH144RS	143240R1, 463236R1	14", Super Chief	Plain	4	1)1/2" & 3)7/16"
IH144RSH	143240R1, 463236R1	14", Super Chief	Hardfaced	4	1)1/2" & 3)7/16"
IH164LRS	143241R1, 463237R1	16", Super Chief	Hardfaced, Left	4	1)1/2" & 3)7/16"
IH164RS	143241R1, 463237R1	16", Super Chief	Plain	4	1)1/2" & 3)7/16"
IH164RSH	143241R1, 463237R1	16", Super Chief	Hardfaced	4	1)1/2" & 3)7/16"
IH184LRS	463238R, 1980956C2	18"-20", Super Chief	Plain, Left	4	1)1/2" & 3)7/16"
IH184LRS	463238R, 1980956C2	18"-20", Super Chief	Hardfaced, Left	4	1)1/2" & 3)7/16"
IH184LRS	463238R, 1980956C2	18"-20", Super Chief	Hardfaced, Inserted, Left	4	1)1/2" & 3)7/16"
IH184RS	463238R, 1980956C2	18"-20", Super Chief	Plain	4	1)1/2" & 3)7/16"
IH184RSH	463238R, 1980956C2	18"-20", Super Chief	Hardfaced	4	1)1/2" & 3)7/16"
IH184RSH	463238R, 1980956C2	18"-20", Super Chief	Hardfaced, Inserted	4	1)1/2" & 3)7/16"

JOHN DEERE

JD143RS	A10005	14", HS 359, 400, 500, SDT	Plain	3	3)7/16"
JD144RS	A10225	14", HS 350, 400, 500, NU	Plain	4	1)1/2" & 3)7/16"
JD163RS	A10007	16", HS 350, 400, 500	Plain	3	3)7/16"
JD164LRS	A10227	16", HS 356, 400, 500, SDT, NU	Plain, Left	4	1)1/2" & 3)7/16"
JD164LRS	A10227	16", HS 356, 400, 500, SDT, NU	Hardfaced, Left	4	1)1/2" & 3)7/16"
JD164RS	A10227	16", HS 356, 400, 500, SDT, NU	Plain	4	1)1/2" & 3)7/16"
JD164RSH	A10227	16", HS 356, 400, 500, SDT, NU	Hardfaced	4	1)1/2" & 3)7/16"
JD183RS	A42808	18", NU 400/500 Metric	Plain	3	3)M16 x M35
JD183RSH	A42808	18", NU 400/500 Metric	Hardfaced	3	3)M16 x M35
JD185LRS	A14243	18", NU Bottoms	Plain, Left	5	1)1/2" & 4)7/16"
JD185LRS	A14243	18", NU Bottoms	Hardfaced, Left	5	1)1/2" & 4)7/16"
JD185RS	A14243	18", NU Bottoms	Plain	5	1)1/2" & 4)7/16"
JD185RSH	A14243	18", NU Bottoms	Hardfaced	5	1)1/2" & 4)7/16"
JD185RSH	A14243	18", NU Bottoms	Hardfaced	5	1)1/2" & 4)7/16"
JD244RS	P57043, P57270	18" Switch Plow	Plain	4	4)7/16"
JD244RSHBS	P57043, P57270	18" Switch Plow	Hardfaced, Back Side	4	4)7/16"
JD244RSHFS	P57043, P57270	18" Switch Plow	Hardfaced, Front Side	4	4)7/16"

SHARES — RIBBED CONTINUED

Note: All ribbed shares are right hand unless otherwise noted in "Description" column.

Order Number	Replaces/ OEM Number	Size/Application	Description	No. of Bolts Required	Bolt Sizes Required
LONG					
LO245RS	792800	18" Switch Plow	Plain	5	5) 7/16"
LO245RSHBS	792800	18" Switch Plow	Hardfaced, Back Side	5	5) 7/16"
MASSEY FERGUSON					
MI143RS	660005M1, 463244M1	14", N, Heavy Duty	Plain	3	3) 7/16"
MI163RS	660208M1, 463244M1	16", N, Heavy Duty	Plain	3	3) 7/16"
MF144RS	475161M1, 475714M1	14", N, Heavy Duty	Plain	4	4) 1/2"
MF144RSH	475161M1, 475714M1	14", N, Heavy Duty	Hardfaced	4	4) 1/2"
MF164LRS	475167M1, 475716M1	16", N, Heavy Duty	Plain, Left	4	4) 1/2"
MF164RS	475167M1, 475716M1	16", N, Heavy Duty	Plain	4	4) 1/2"
MF164RSH	475167M1, 475716M1	16", N, Heavy Duty	Hardfaced	4	4) 1/2"
MF184LRS	475823M1	18", N, Heavy Duty	Plain, Left	4	4) 1/2"
MF184RSH	475823M1	18", N, Heavy Duty	Hardfaced, Left	4	4) 1/2"
MF184RS	475823M1	18", N, Heavy Duty	Plain	4	4) 1/2"
MF184RSH	475823M1	18", N, Heavy Duty	Hardfaced	4	4) 1/2"
MELROE/MORRIS					
AM164RS	347749, 572184	16", 387 Series	Plain, Drop Front Hole	4	1) 1/2" & 3) 7/16"
AM164RSH	347749, 572184	16", 387 Series	Hardfaced, Drop Front Hole	4	1) 1/2" & 3) 7/16"
AM184RS	573307	18", 387 Series	Plain, Drop Front Hole	4	1) 1/2" & 3) 7/16"
AM184RSH	573307	18", 387 Series	Hardfaced, Drop Front Hole	4	1) 1/2" & 3) 7/16"
MM144RS	6526827	14", Star GP	Plain	4	4) 7/16"
MM164RS	6526832	16", Star GP	Plain	4	4) 7/16"
MM184RS	6526829	18", Star GP	Plain	4	4) 7/16"
MM184RSH	6526829	18", Star GP	Hardfaced	4	4) 7/16"
MR164RS	6527052	16", 387 Series	Plain, In-Line Hole	4	1) 1/2" & 3) 7/16"
MR184RS	6527054	18", 387 Series	Plain, In-Line Hole	4	1) 1/2" & 3) 7/16"
WHITE / OLIVER / CASE (NEW) SERIES 400, 500, 7000 & 8000					
OC164LRS	RCA6R, 219617BS	16", 419-625	Plain, Left	4	1) 1/2" & 3) 7/16"
OC164LRSH	RCA6R, 219617BS	16", 419-625	Hardfaced, Left	4	1) 1/2" & 3) 7/16"
OC164RS	RCA6R, 219617BS	16", 419-625	Plain	4	1) 1/2" & 3) 7/16"
OC164RSH	RCA6R, 219617BS	16", 419-625	Hardfaced	4	1) 1/2" & 3) 7/16"
OC185LRS	RCA8R, 219619BS	18", 619-625	Plain, Left	5	1) 1/2" & 4) 7/16"
OC185LRSH	RCA8R, 219619BS	18", 619-625	Hardfaced, Left	5	1) 1/2" & 4) 7/16"
OC185RS	RCA8R, 219619BS	18", 619-625	Plain	5	1) 1/2" & 4) 7/16"
OC185RSH	RCA8R, 219619BS	18", 619-625	Hardfaced	5	1) 1/2" & 4) 7/16"
OC205RS	RCA20R, 220370BS	20", 619-625	Plain	5	1) 1/2" & 4) 7/16"
OC205RSH	RCA20R, 220370BS	20", 619-625	Hardfaced	5	1) 1/2" & 4) 7/16"
OM123LRS*		12"	Plain, Left	3	3) 7/16"
OM144RS	RCA4R, 219615BS	14", 419-625	Plain	4	4) 7/16"
OM144RSH	RCA4R, 219615BS	14", 419-625	Hardfaced	4	4) 7/16"
OM144LRS*	RCA4R, 219615BS	14", 419-625	Plain, Left	4	4) 7/16"
OM164LRS	RR16R, RB16R	16", 419-625	Plain, Left	4	4) 7/16"
OM164LRSH	RR16R, RB16R	16", 419-625	Hardfaced, Left	4	4) 7/16"
OM164RS	RR16R, RB16R	16", 419-625	Plain	4	4) 7/16"
OM164RSH	RR16R, RB16R	16", 419-625	Hardfaced	4	4) 7/16"
OM185LRS	RR18R, RB18R	18", 419-625	Plain, Left	5	5) 7/16"
OM185LRSH	RR18R, RB18R	18", 419-625	Hardfaced, Left	5	5) 7/16"
OM185RS	RR18R, RB18R	18", 419-625	Plain	5	5) 7/16"
OM185RSH	RR18R, RB18R	18", 419-625	Hardfaced	5	5) 7/16"
WATTS					
WA184LRS	FO25	ALL	Plain, Left	4	4) 7/16"
WA184LRSH	FO25	ALL	Hardfaced, Left	4	4) 7/16"
WA184RS	FO25	ALL	Plain	4	4) 7/16"
WA184RSH	FO25	ALL	Hardfaced	4	4) 7/16"
WIL-RICH					
WR184RSH	14255, 215806, 16047	18", GP	Hardfaced	4	4) 1/2"

*Special Order

MOLDBOARDS AND SHINS

MOLDBOARDS

TILLAGE



M57-0350

- Heat-Treated
- Sold Individually
- Painted Black Finish
- 1080 High Carbon Steel
- Solid Construction, 5/16" thick
- Moldboards Require:
(5) Grade 5 #3 Plow Bolts
7/16" Dia. x 1" or 1-1/2 Long

Order Number	Replaces/ OEM Number	Fits Share Size	Application
ALLIS CHALMERS			
M57-0356	347966HB	14", 16", 18"	387 Series

D.M.I.			
M57-0353	33111601	16" & 18"	Hydrawide

FORD			
M57-0358	104409-HB, 251440	14"	General Purpose
M57-0359	104412-HB	16"	General Purpose
M57-0360	R619-18HB	18"	General Purpose

HARREL			
A7901236	7921736	24"	Switch Plow

INTERNATIONAL HARVESTER (CASE-IH)			
M57-0352	462314-HB	16" & 18" RH	Super Chief, High Speed
464603	464603	16" & 18" Left	Super Chief, High Speed
491634	491634, High Back	18" RH	General Purpose
491633L	491633	18", Left	General Purpose

JOHN DEERE			
M57-0350	BA1022A-HB, A20700	14"	HS 314, 324, HS 354, 434, 444
M57-0351	BA1024A-HB, A20702	16"	HB 316, 326, HS 356, 436, 446
AA14885	A-15596	16"	NU 1036, 1046
AA15673	A-17431	18"	NU 1048
AA15674L	A-17432	18", Left	NU 1048
A32209M	A32209	18" & 20" M	NU 450 Metric, 2600, 2800, 2219-3710 Rigid & Flex plows
A57264	P57264	24"	Switch Plow

MASSEY FERGUSON			
660204	660204	16" & 18"	N & N, Heavy Duty
661651L	661651	16" & 18" Left	N & N, Heavy Duty

MELROE / MORRIS			
M57-0353	6522185-HB	16" & 18"	General Purpose/Oliver Btm.
L61916	35A1221	16", Left	General Purpose

MINNEAPOLIS MOLINE / NATIONAL DAVID BROWN			
M57-0353	6522185-HB	16" & 18"	General Purpose

WILRICH			
M57-0353	6522185-HB, 215177, A4258	16" & 18"	General Purpose

WHITE / OLIVER			
M57-0353	R619-16-HB	16"	419, 619 Series
L61916	HR21800B	16, Left	619 Series
M57-0360	30-1012991	18"	619 Series
R62518	217531BS	18"	625 Series

SHINS

- Heat-Treated
- Sold Individually
- Painted Black Finish
- 1080 High Carbon Steel
- Hardware Not Included
- Solid Construction, 5/16" thick

Note:
All Shins are right hand unless otherwise noted in the "Size" column. Hardware not included. Shins require (2) Grade 5 #3 Plow Bolts 7/16" x 1-1/4" or 1-1/2" long.



104403A

Order Number	Replaces/ OEM Number	Fits Share Size	Application
ALLIS CHALMERS			
S30-0516	347649	14", 16", 18"	387 Series

BAKER			
ASB101	SB101	18"	Switch Plow

J.I. CASE			
E16S	T60003	16"	EXB, EXC

Note: For newer Case plows, use White/Oliver shin EP7490.

D.M.I.			
EP7490	33111602	16" & 18"	Hydrawide - All

FORD			
104403A	112136, 201344, 251435, 104428	12", 14", 16"	General Purpose
105070	201345, 100368, 251436	12", 14", 16 Left	General Purpose

NOTE: For Ford Plow Series 150, 151, 152, Use White/Oliver Shin EP7490.

HARREL			
86CC	7920736	18"	Switch Plow, Lower
A9820736	9820736	18"	Switch Plow, Upper

INTERNATIONAL HARVESTER (CASE-IH)			
522325	132001C11	14", 16", 18"	Super Chief, High Speed
464595	55075C	14", 16", 18" Left	Super Chief, High Speed
491630L	491630	18", Left	General Purpose

JOHN DEERE			
8195A	A14700	14"	HS 314
8196AA	A14702	16"	HS316
A14883	A15594, A51081	16" & 18"	NU 1036, 1046, 1048
A14887	A15606, A51082	16" & 18" Left	NMU 1036, 1046, 1056
A51080	A30129, A51080	18" Metric	NU Metric
A57266	P57266	24" Right	Switch Plow
A57265	P57265	24" Left	Switch Plow

MASSEY FERGUSON			
660020	660008M1	12" thru 18"	N & N, Heavy Duty
661584	661584	12" thru 18" Left	N & N, Heavy Duty

MELROE / MORRIS/WILRICH			
EP7490	6522182, 213032	16" & 18"	Gen. Purpose, A4257
217404L	217404BSA	14", 16", 18" Left	General Purpose

MINNEAPOLIS MOLINE			
EP7490	7490	14" & 16"	Knife Line

NATIONAL DAVID BROWN			
EP7490	7490, HS105	12", 14", 16"	General Purpose

WHITE / OLIVER			
EP7490	EP7490C	12" thru 18"	219, 419, 519, 619, 719
EP7488	EP7488C	12" thru 18"	625, 425, 225
217404L	217404BS	12", 14", 16" Left	219, 419, 519, 619, 719

LANDSIDES AND WEAR PADS

LANDSIDES AND WEAR PADS

8207



L01-0100

- 1/2" Thick
- Heat-Treated
- Sold Individually
- Painted Black Finish
- 1080 High Carbon Steel

Order Number	Replaces/ OEM Number	Position	Application
BAKER			
ASB102	5B-102		Switch Plow
ASB103	5B-103		Short Switch Plow
J.I. CASE			
T10856	T60590	Front or Rear	EXA, B, C, D, E
FORD			
107980	107980, 251448	Front	General Purpose
107981	107981, 251449	Rear	General Purpose
HARRELL			
A7920436	79-010-36	Small, Short, Approx. 4" x 6"	Switch Plow, Front, 2 Hole
A7920536	79-205-36	Medium, Long, Approx. 4" x 12"	Switch Plow, Rear, 4 Hole
INTERNATIONAL HARVESTER (CASE-IH)			
L01-0100	59057C1	Wear Pad, 12-5/8"x4-1/2"x1/2" RH	Super Chief
L01-0102	59058C1	Wear Pad, Rev. 6"x4-1/2"x1/2" RH	Super Chief
L01-0103	59058C1L	Wear Pad, Left	Super Chief
522342	522342R	Front	Super Chief & Terra Flo
522342L	522342L	Front, Left	Super Chief & Terra Flo
522343	522343R	Rear, Use L01-0100	Super Chief & Terra Flo
522343L	522343L	Rear, Left	Super Chief & Terra Flo
489465	489465	Front	General Purpose
542417	542417	Front, Left	General Purpose
543322	54332	Rear	General Purpose
543321L	543321	Rear, Left	General Purpose
JOHN DEERE			
8206L	BA10147A	Rear, Left	All HS Series
8207L		Front, Left	All HS Series
A16493	AA16493	Front or Rear Inner Plate	All HS & NU Series
AA15262	AA15262	Wear Pad	HS & NU Series
AA15263L	AA15263	Wear Pad, Left	HS & NU Series
A27862	A27862, A 45226	Wear Pad, RH & LH Short (2 Hole)	Metric NU 400, 450
A57046	P57046	Small	Switch Plow
A60071	P60071	Landslide	Switch Plow
A16493 & AA15262 Back Plate & Wear Pad Assembly may be used to replace older 8206 or 8207 Front and Rear Landside Assembly.			
MASSEY FERGUSON			
660003	66003M1	Rear	N Series
495937	475153M1	Landside	N Series, HD, High Speed
MELROE			
L01-0150	6522183	Short, 12-7/16" x 9/16"	General Purpose
L01-0151	6526000	Medium, 15"	General Purpose
L01-0152	6526852	Wear Pad, Reversible	Fits 6252600
WHITE / OLIVER			
L01-0180	218270BS	Offset, 16" x 9/16"	419, 425, 619, 625
301012835L	30-1012835L	Front, Left	419, 425, 619, 625
301012851	30-1012851, EP1300W	Rear Heel	Raydex 619, 625
301012851L	30-1012851L, EP1300W	Rear Heel, Left	Raydex L 619, 625
WILRICH			
L01-0250	215111, A4253	Solid, Inner Plate 15-7/16"x4-1/2"x9/16"	General Purpose
L01-0251	215225, A4256	Wear Pad	General Purpose

*Note: All Landsides are right hand unless otherwise noted in "Position" column. Hardware included only with order numbers that begin with "L01-".