



















PTO Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

	A-899377M1	Bearing, Front PTO Shaft	0.79 Lbs.
AGCO			
ALLIS CHALMERS	For Models:		
DEUTZ	A-503029M1	Seperator Plate	0.24 Lbs.
MASSEY FERGUSON			
WHITE/ OLIVER	For Models: (1100, 1105, 1130, 1135, 1150, 1155, 4800, 4840, 4880, 4900 ALL W/ MULTI-POWER TRANSMISSION)		
	A-511106M1	Plate, Friction Drive	0.16 Lbs.
CNH			
	For Models: (1100, 1105, 1130, 1135, 1150, 1155, 4800, 4840, 4880, 4900 ALL W/ MULTI-POWER TRANSMISSION)		
CASE-IH	A-1688532M1	Plate, PTO Friction	0.15 Lbs.
FORD / NEW HOLLAND			
FIAT	For Models: 240 SN A20286->, 253, 263, 265S, (362, 375, 383, 390, 396 ALL SN B33001->), 398 SN B18009->, 399 W/ 1006.6 Eng., 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 690		
	A-3699909M1*	Ring, PTO Sealing, Multi-Power	0.02 Lbs.
BELARUS		Dim/Info: 2.000" O.D. X 3/32" sold in multiples of 2	
BOBCAT	For Models: 30, 35, 50, 65, 85, 88, 90 SUPER, FE35, 135, 150, 165, 175, 180, 235, 245, 255, 265, 270, 275, 285, 290, 298, 375, 383, 390, 398, 399, 1080, 1085, 1100, 1105, 1130, 1135, 1150, 1155, 1500, 1505, 1800, 1805		
JCB	A-186581M1	Ring, PTO, Multit-Power	0.01 Lbs.
JOHN DEERE			
KUBOTA	For Models:		
LANDINI	A-1866533M1	Drive Shaft, Rear Axle	8.20 Lbs.
LEYLAND			
LONG	For Models: 285 S/N <9A349239, 298, 698, 699		
McCORMICK	A-1671706M4	Constant Mesh PTO Gear	7.26 Lbs.
OTHER			
RENAULT	For Models: 230 SN 9A334731>, 231, 240, 245 SN 9A334947>, 250, 282, 290, 290 UK, 360, 362, 365, 375, 383, 390, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270		
SAME	A-1872271M1	Gear Hub, Ground Speed PTO	1.30 Lbs.
VALTRA			
VERSATILE	For Models: 135 LATE PRODUCTION, 165, 175, 230, 235, 240, 245, 250, 255, 265, 275, 283 BRAZIL		
YANMAR			
ZETOR			
SCHWARTZ SPEECO			


	A-1872275M1	Gear, Ground Speed PTO	3.82 Lbs.
			
	For Models: 20, 20C, 20D, 230, 231, 235, 240, 240P, 245		
	A-167262M94	PTO Lever	0.84 Lbs.
			
	For Models: 135, 20, 20B, 20C, 20F, 230, 235, 240, 245, 250, 270, 282, 283, 30B, 30E, 40B, 40E, 50E		
	A-1877461M1	Ball, PTO Lever	0.07 Lbs.
			
	For Models: 135, 20, 20C, 20D, 20F, 230, 235, 240, 245, 250, 253, 2640, 2675, 270, 2705, 2745, 2775, 2805, 282, 283, 290, 298, 30B, 30E, 3505, 3525, 3545, 392S, 40B, 40E, 50E		
	A-195494M1	Bearing, PTO Drive Pinion	0.59 Lbs.
			
	For Models: FE35, T035, 135, 150, 165, 180, 35, 50, 65		
	A-772813M1	PTO Clutch Plate	0.18 Lbs.
			
	For Models: 255, 265, 275, 285		
	A-906919M91	Pinion Shaft, PTO Power Input	3.18 Lbs.
			
	A-71117404	Bearing	1.00 Lbs.
	For Models: 135, 150, 175, 20, 165 W/ STD TRANS. SN <-130773		
	A-899332M92	Pinion Shaft, PTO	2.98 Lbs.
			
	A-71117404	Bearing	1.00 Lbs.
	For Models: (135, 150, 165, 175, 180 ALL W/ MULTI-POWER TRANS)		
	A-186580M1	Ring, Sealing, Multi-Power	0.02 Lbs.
		Dim/Info: sold in multiples of 2	
	For Models:		
	A-1868528M91	Pinion Shaft, PTO	2.98 Lbs.
			
	A-71117404	Bearing	1.00 Lbs.
	For Models: 135, 150, 165, 235, 245, 255, 265, 275, 285, 290 W/ MULTI-POWER TRANS		

*** Truck icon indicates the item is shipped via truck freight. ***

PTO Parts


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-191500M92 Drive Shaft, PTO Main 2.94 Lbs.



For Models: (150, 165 ALL EARLY W/ MULTI-PWR), 65 S/ 1700-540 TRANS, W/ MULTI-PWR, 135 SN <9A11664, W/ MULTI-PWR, FE35 SN 307136> W/ MULTI-PWR, (35, 50 ALL TRANS SN CQ16563>, W/ MULTI-PWR), FE135 W/ MULTI-PWR

A-1671704M91 Pinion Shaft, PTO 2.94 Lbs.



For Models: (231, 240, 240P, 250, 282, 290, 360, 362, 365, 375, 383, 390 ALL W/ 8SP TRANS)

A-1677739M1 Drive Pinion, PTO Main 3.26 Lbs.




For Models: 275 UK MODEL W/ 12 SP. SYNCROMESH ZF TRANS., 265S W/ 12 SP. SYNCROMESH ZF TRANS.

A-1677740M1 Input Shaft, Transmission 3.55 Lbs.




For Models: 253 W/ 8 & 12 Speed Sync Shuttle Trans. (Shaft Uses Needle Brg.), 290 UK W/ 12 SPEED TRANSMISSION, (360, 362, 375, 390, 390T ALL W/ 8 SPEED TRANS. / LOW FLOW PUMP, AND ALL 12 SPEED TRANS.), (4225, 4235, 4243, 4245 ALL W/TRANS. ID# 34402/406/410/414/418/422/426/430), (4263, 4270 ALL W/TRANS. ID# 34302/306/318/322/334/338/342/346)

A-516523M91 Shaft, Transmission Input 5.02 Lbs.



For Models: 1080, 1085, 150, 165, 175, 180, 255, 265, 275, 285, 65, 30 IND

A-1860889M1 Retainer Assembly, Main Drive Input Shaft 6.70 Lbs.



For Models: 135, 150, 165, 175, 180, 235, 245, 255, 265, 270, 275, 285, 290, 35 GAS OR DIESEL, 50, 65, FE35

A-516365M91 PTO Shaft (540 RPM) 8.52 Lbs.



For Models: 1080, 1085, 285

A-195522M1 O-Ring, PTO Retainer (Outer) 0.02 Lbs.




For Models: FE35, 35, 65, 148, 168, 175, 178, 765, 135 SN<457632, 165 SN<144682, 185 SN<325655, 188 SN<364984

A-532880M1 PTO Housing Retainer, Rear 0.72 Lbs.




For Models: 20, 20C, 20D, 20F, 230, 235, 240, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 298, 30, 30B, 30D, 30E, 31, 360, 375, 383, 390, 393, 398, 399, 40, 40B, 40E, 50C, 50D, 50E, 670, 690, 698, 699

A-1868533M2 PTO Shaft 5.97 Lbs.




For Models: 135, 240, 283

A-886366M91 Drive Shaft (Rear), PTO 7.15 Lbs.



For Models: FE135, 1080, 1085, 11, 135, 150, 165, 175, 180, 20, 20C, 20D, 20F, 202, 203, 204, 205, 2135, 2200, 230, 231, 235, 240, 240P, 245, 250, 2500, 253, 255, 265, 30, 30B, 30E, 30H, 302, 304, 31, 3165, 360, 362, 40, 40B, 40E, 4500, 50, 50A, 50C, 50D, 50E, 6500, 690, 698

A-1866661M91 PTO Shaft 7.95 Lbs.




For Models: 285, 298, 690, 698, 699

A-1868539M1 Shaft, Intermediate PTO 2.54 Lbs.



For Models: 240, 298, 40E, 50H, 50HX, 60H, 670, 690, 698, 699, 50E POWER SHUTTLE, 285 SN<9A349239

A-503433M1 Shaft, PTO Drive 3.58 Lbs.



For Models: 1100, 1105, 1130, 1135, 1150, 1155

A-516006M3 PTO Coupler 0.32 Lbs.




For Models: 1100, 1105, 1130, 1135, 1150, 1155

A-3599630M91 PTO Coupler 2.30 Lbs.




For Models: 133 SN: W113089 >, 135 SN: 457632 >, W/GSPTO & IPTO, (140, 148, 152 ALL SN: W113089 >), 168 SN: 257923 >, W/IPTO, (20C, 20D, 20F ALL SN: < 5101D0782), (230, 240, 253, 265, 275, 290 ALL SN: < P38370 SINGLE SPEED), (30B, 30D ALL SN: 50835244 >), (340, 342, 350, 352, 355, 360, 362 ALL SN: < P38370 SINGLE SPEED), (40B, 40E ALL SN: 50835244 >), 50C, 50E

A-508894M1 Shaft, PTO Drive 7.70 Lbs.




For Models: (1100, 1130 ALL TRANS. SN <-DU5466)

A-514181M1 Shaft, PTO Drive 7.78 Lbs.




For Models: (1100, 1130 ALL TRANS. SN <-DU5466, W/TRANS. SN DU5215-5218 / SN DU5255-5258)

A-528009M1 Shaft, PTO Drive 9.54 Lbs.



For Models: 1105, 1135, 1155

A-509596M1 PTO Shaft 9.42 Lbs.



For Models: 1100, 1105, 1130, 1135, 1150, 1155

A-736954M1 PTO Drive Hub, Flywheel Mounted 1.86 Lbs.



For Models: 1100, 1130

AGCO

ALLIS
CHALMERS

DEUTZ

MASSEY
FERGUSON

WHITE/
OLIVER

CNH

CASE-IH

FORD / NEW
HOLLAND

FIAT

BELARUS

BOBCAT

JCB

JOHN
DEERE

KUBOTA

LANDINI

LEYLAND

LONG

McCORMICK

OTHER

RENAULT

SAME

VALTRA

VERSATILE

YANMAR

ZETOR


SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

PTO Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-740635M1 PTO Drive Hub, Flywheel Mounted 2.08 Lbs.



For Models: 1105, 1135, 1155

A-1869009M95 PTO Shield 5.51 Lbs.



For Models: 135 UK SN 439191>, 283 Brazil

A-18116938 PTO Assembly 14.90 Lbs.



For Models: TE20, TO20, TO30

A-181183M1 PTO Shaft Sleeve 0.31 Lbs.



For Models: TE20, TEA20, TED20, TEF20, TO20, TO30

A-532883M1 Bushing, PTO Shaft 0.30 Lbs.



For Models: 165 UK, 20 Ind. & Turf, 20C, 20D, 20F, 230, 231, 235, 240 SN <-A20286, 240P, 240S, 245 SN <-9A349239, 250, 253, 255, 261, 263, 265, 265S, 270, 271, 275, 281, 282, 283, 290, 30, 30B, 30D, 30E, 360, 365 SN <-B18009, 375, 383, 390, 40, 40B, 40F

A-180461M1 Bushing, PTO Shaft 0.15 Lbs.



For Models: 135, 135 UK, 150, 165, 165 UK, 175, 175 UK, 178, 180, 20, 202, 203, 2135, 2200, 230 SN <-9A349239, 235, 2500, 255, (265, 275 ALL <-9A349239), 30, 302, 31, 3165 Turf & Utility, 35, 35 Turf & Utility, 35FE, 35X, 40, 4500, 50, 65, 6500, TO35


A-181169M91 PTO Shaft 14.90 Lbs.



A-181183M1 PTO Shaft Sleeve 0.31 Lbs.


For Models: TE20, TEA20, TO20, TO30

A-T318 Adapter, PTO Closed End 0.62 Lbs.



For Models: FITS SEVERAL MODELS

A-T353 Adapter, PTO 1.40 Lbs.




For Models: FITS SEVERAL MODELS

A-1660288M91 Shaft, PTO (540 RPM) 10.00 Lbs.




For Models: 20, 20B, 20C, 20F, 282, 283, 30, 30D, 31, 390, 40, 40B, 50D, 50E, 240 LIVE, (245, 250, 270 ALL LIVE / IND PTO), (265, 275 ALL LIVE / IND PTO W/WET BRAKE), 290 LIVE / SINGLE SP PTO, 230 REAR AXLE SN FD101 / CD 8028->LIVE, 235 SN FD101->LIVE

A-181204M92 Shaft, Live PTO (540 RPM) 8.72 Lbs.



For Models: (TO35, 135, 150, 165, 175, 180, 202, 203, 204, 205, 2135, 2200, 302, 304, 3165, 35, 50, 65 ALL FOR LIVE PTO), (20, 30, 31, 40 ALL IND FOR LIVE PTO)

A-1868557M93 Shaft, Live PTO (540 RPM) 9.00 Lbs.




For Models: 30 Late Production W/ Dry Brakes & Live PTO, 165 UK SN 130773-144682 W/ Live PTO, 135 UK SN 439191> W/ Live PTO, 230 W/ Rear Axle SN <FD101 Or CD8028 W/ Live PTO, (255, 265, 275 ALL W/ Dry Brakes & Live PTO), 40 W/ Dry Brakes, Rear Axle SN <FD101 Or CD8028 W/ Live PTO, (135, 150, 175, 20, 31 ALL W/ Live PTO), 165 W/ Multi-Power & Std. Trans. W/ Live PTO, 235 W/ Rear Axle SN <FD101 W/ Live PTO

A-532899M1 Shaft, PTO (540 RPM) 9.50 Lbs.



For Models: 270, (275, 290 ALL 2SP), 265 2SP IND PTO SN 9A349239->, 390 2SP SN <-P38370, (375, 390, 390T, 398 ALL ENG. SN P38370->), (670, 690 ALL FRANCE)

A-310088 Cover, PTO Shaft 1.88 Lbs.



For Models: (TE20, TO20, TO30 ALL W/ 1.125" OR 1.375" SHAFTS)

A-1868778M1 PTO Cap 1.40 Lbs.




For Models: TO35, 135, 150, 165, 175, 180, 35, 40, 50, 65

A-532888M2 PTO Cap 1.80 Lbs.




For Models: 235, 240, 250, 255, 270, 290 UK, 362, 365, 375, 390, 390T, 398, 399, 4225, 4235, 4243, 4245, 4253, 4255, 4263, 4270, 670, 690, 230 AXLE SN<2583, 283 BRAZIL / UK MODELS, (245, 265, 275 ALL SN<9A349239)

A-518529M1 Shaft, PTO (540 RPM) 6.74 Lbs.



For Models: 1080, 1085, 285

A-516354M1 Shaft, PTO (1000 RPM) 3.44 Lbs.




For Models: 1080, 1085, 285

*** Truck icon indicates the item is shipped via truck freight. ***

PTO Parts


Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-509695M2 Shaft, PTO (540 RPM) 6.66 Lbs.



For Models: 1100, 1105, 1130, 1135, 1150

A-677496 Shaft, PTO Stub (1000 RPM) 3.18 Lbs.



For Models: 1105, 1135, 1100, 1130, 1150, 1155

A-1610238M3 Shaft, PTO (540 RPM) 7.32 Lbs.



For Models: 2675, 2705, 2745, 2775, 2805

A-1610239M3 Shaft, PTO (1000 RPM) 8.22 Lbs.



For Models: 2640, 2675, 2705, 2745, 2775 SN 9R0451->, 2805

A-899331M1 Bearing Housing, PTO Drive Shaft 3.30 Lbs.




For Models: 1080, 1085, 135, 150, 165, 175, 180, 235, 240, 265, 275, 285, 362, 365, 375, 390, 390T, 398, 399, 4243, 4253, 4263, 283 BRAZIL, 290 UK MODELS

A-182090M1 Gear, PTO Driven 3.40 Lbs.




For Models: 135, 150, 20, 2135, 30, 35, 50, T035 SN169196>

A-1868532M1 PTO Gear, 1st Speed 7.00 Lbs.




For Models: 135, 148, 150, 168, 185, 188, 20, 20C, 230, 235, 245, 255, 265, 270, 275, 282, 283, 285, 30, 31, 40, 40B, 50C, 50D, 50E, 565, 575, 590, 165 STD TRANS / MULTI-POWER SN 130774->

A-1867820M1 PTO Gear, Constant Mesh 6.94 Lbs.




For Models: 135, 150, 155, 158, 175, 180, 20, 202, 203, 2200, 240, 30, 31, 3165, 550, FE135 COVENTRY, 165 STD / MULTI-POWER SN <-130773, 2135 TURF UTIL NARROW

A-1872274M1 PTO Gear 2.13 Lbs.




For Models: 165, 175, 20E, 20F, 245, 250, 253, 255, 265, 270, 275, 282, 283, 285, 290, 30, 30B, 30D, 30E, 360, 375, 383, 390, 40, 40B, 50C

A-532906M4 PTO Gear 4.14 Lbs.



For Models: 20, 20C, 20D, 230, 231, 235, 240, 240P, 245

A-532907M1 PTO Gear 4.99 Lbs.



For Models: 20F, 235, 245, 250, 253, 255, 265, 270, 275, 282, 285, 290, 30, 30B, 30D, 30E, 360, 375, 383, 40, 40B, 40E

A-3614656M1 PTO Coupling 1.94 Lbs.



For Models: 240, (362, 365, 375, 390 ALL SN B33001>), 290 UK SN B33001>

A-3760665M1 PTO Cover (LH) 0.99 Lbs.




For Models: 135, 20, 20C, 20D, 20F, 230, 231, 235, 240, 245, 250, 253, 255, 265, 275, 282, 283, 285, 30B, 30D, 30E, 392S, 40B, 40E, 50E

A-1872648M93 PTO Cover (RH) 1.89 Lbs.




For Models: 20E, 20F, 231, 240P, 253, 30E, 360, 362, 383, 392S, 40E, 50E

A-1870594M92 PTO Fork 1.07 Lbs.



For Models: 135, 20, 20C, 230, 235, 240, 245, 250, 253, 255, 265, 275, 282, 283, 285, 290, 30B, 30E, 350, 360, 362, 375, 383, 390, 40B, 50E, 231

A-1679223M2 Switch, Gearbox 0.15 Lbs.



For Models: FE35, 135 UK, 148, 165 UK, 168, 175 UK, 178, 185, 188, 230, 24, 240, 25, 253, 265, 298, 30E, 30H, 35, 340, 342, 383, 393, 40E, 50E, 50EX, 50H, 50HX, 565, 575, 590, 60H, 65, 765, (350, 360, 365, 399, 355 ALL SN <A52208), (365, 375, 390, 390T, 398 ALL SN <A52208 L/ 12 X 12 Speed Syn. Shuttle Trans.), 550, 750, 760

A-1077452M1 Seal, PTO Shaft 0.22 Lbs.



For Models: T035, 135, 150, 165, 175, 180, 230, 235, 255, 265, 275, 35, 40, 50, 65

- AGCO
- ALLIS CHALMERS
- DEUTZ
- MASSEY FERGUSON
- WHITE/ OLIVER
- CNH
- CASE-IH
- FORD / NEW HOLLAND
- FIAT
- BELARUS
- BOBCAT
- JCB
- JOHN DEERE
- KUBOTA
- LANDINI
- LEYLAND
- LONG
- MCCORMICK
- OTHER
- RENAULT
- SAME
- VALTRA
- VERSATILE
- YANMAR
- ZETOR
- SCHWARTZ
- SPEECO

*** Truck icon indicates the item is shipped via truck freight.***

PTO Parts

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

A-1870859M1 Seal, PTO Housing 0.04 Lbs.



AGCO

ALLIS

CHALMERS

DEUTZ

MASSEY
FERGUSON

For Models: 135 UK, 165 UK, 20E, 24, 240, 25, 253, 263, 265 S/N 9A349239>, 265S Turkey, 270, 275 S/N 9A349239>, 290, 298, 30E, 30H, 360, 362, 365 S/N <B18009, 375, 383, 390, 390T, 393, 396, 398, 399, 40E, 4225, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 50E, 50H, 50H SERIES S, 50H SERIES T, 50HX, 50HX SERIES S, 50HX SERIES T, 60H, 60H SERIES S, 60H SERIES T, 6500H, 670, 6800H, 690, 698, 699

WHITE/
OLIVER

A-883935M1 Seal, PTO Main Drive Shaft 0.02 Lbs.



For Models: FE35, 135, 150, 165, 175, 180, 235, 245, 255, 265, 275, 285, 290, 50, 65, 35 GAS OR DIESEL

CNH

A-195503M1 Seal, PTO Drive Shaft 0.15 Lbs.

CASE-IH



FORD / NEW
HOLLAND

For Models: T035, 135, 150, 165, 175, 180, 20C, 230, 235, 245, 31, 35, 50, 65, (20, 30 ALL INDUSTRIAL MODEL)

FIAT

A-192329M2 Seal, PTO Main Drive Shaft 0.08 Lbs.



BELARUS

For Models:

BOBCAT

A-833646M1 Bearing, PTO Main Drive Shaft 1.00 Lbs.

JCB




JOHN
DEERE

For Models: FE35, 135, 150, 165, 175, 180, 235, 245, 255, 265, 270, 275, 285, 290, 50, 65, 35 GAS OR DIESEL

KUBOTA

A-195502M1 Bearing, PTO Shaft 0.80 Lbs.

LANDINI



LEYLAND

LONG

For Models:

McCORMICK

A-350358X1 Ball Bearing, Front PTO Shaft 0.80 Lbs.

OTHER



RENAULT

For Models:

SAME

VALTRA

VERSATILE

YANMAR

ZETOR

SCHWARTZ
SPEECO

*** Truck icon indicates the item is shipped via truck freight. ***