


# BANANA BLADES



## Agriquip

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1850</b>	17.500"	15.750"	1.500"	2.000"	.500"
For Models: AGRI FOUR					
<b>A-BB1870</b>	31.750"	30.000"	1.500"	2.000"	.500"
For Models: AGRI SIX					
<b>A-BB1878</b>	15.500"	13.750"	1.500"	1.500"	.500"
For Models: AGRI 42"					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: AGRI 6.6					

## Alamo

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1845</b>	30.500"	28.750"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1854</b>	19.750"	18.000"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1865</b>	24.750"	23.000"	1.375"	3.000"	.500"
For Models: SEVERAL					
<b>A-BB1867</b>	25.500"	23.750"	1.500"	3.000"	.500"
For Models: AG72 BOOM MOWER					
<b>A-BB1871</b>	28.000"	26.250"	1.375"	3.000"	.500"
For Models: SEVERAL					
<b>A-BB1872</b>	24.750"	23.000"	1.375"	3.000"	.500"
For Models: SEVERAL					
<b>A-BB1892</b>	23.750"	22.000"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1893</b>	21.750"	20.000"	1.375"	3.500"	.500"
For Models: SEVERAL					
<b>A-BB1922</b>	30.500"	28.750"	1.500"	2.000"	.500"
For Models: SEVERAL					

## Big Bee


PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1889</b>	29.750"	28.000"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1895</b>	24.250"	22.500"	1.500"	2.250"	.500"
For Models: SEVERAL					

## Bush Hog

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1843</b>	24.375"	22.625"	1.500"	1.500"	.500"
For Models: 1126, 1226, 126, (12610, 12615 ALL LH), 1315, 2315, 2415, 2510, (2610, 2615 ALL LH), 315, (3610, 3615 ALL LH)					
<b>A-BB1845</b>	30.500"	28.750"	1.500"	2.000"	.500"
For Models: 1207, 1257, 1307, 207, 257, 307, 800					
<b>A-BB1850</b>	17.500"	15.750"	1.500"	2.000"	.500"
For Models: 104, 204					
<b>A-BB1854</b>	19.750"	18.000"	1.500"	2.000"	.500"
For Models: 13168 RH & Center, 3368 LH					
<b>A-BB1863</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: 1050, (SM16, SM60 ALL LH)					
<b>A-BB1864</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: (SM16, SM60 ALL RH)					
<b>A-BB1874</b>	18.750"	17.000"	1.500"	2.000"	.500"
For Models: 109, 1109, 1209, 160, 1600					
<b>A-BB1875</b>	18.750"	17.000"	1.500"	2.000"	.500"
For Models: 109, 1109, 1209, 160, 1600					

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# BANANA BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

<b>Bush Hog cont.</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1881</b>	20.250"	18.500"	1.500"	2.000"	.500"
For Models: 13168 LH, 3368 RH & Center					
<b>A-BB1883</b>	22.750"	21.000"	1.250"	2.000"	.375"
For Models: RAZORBACK RZ60					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: 1206, 1310C, 206, 306, 310C, 315C					
<b>A-BB1889</b>	29.750"	28.000"	1.500"	2.000"	.500"
For Models: 307, 307R, SQ72					
<b>A-BB1890</b>	16.250"	14.500"	1.500"	2.000"	.500"
For Models: 1268, 268					
<b>A-BB1892</b>	23.750"	22.000"	1.500"	2.000"	.500"
For Models: 13126R, 13126S, 3126 LH, 3126R, 3126S					
<b>A-BB1895</b>	24.250"	22.500"	1.500"	2.250"	.500"
For Models: 105, 1126LS/O, 12, 1226LS, 126LS/O, 1310RS, 1315RS, 205, 266, 305, 310, 310RS, 315RS, 502, 6, 600					
<b>A-BB1922</b>	30.500"	28.750"	1.500"	2.000"	.500"
For Models: 220, 2620					
<b>A-BB1923</b>	16.250"	14.500"	1.500"	2.000"	.500"
For Models: 1268, 268, SQ84					
<b>BMB</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-80A18090</b>	27" Long	3" Wide	25" Center Hole To End	4 1/2" Offset	CW Rotation
For Models: TBR144					
<b>A-BB1834</b>	26.500"	24.750"	1.250"	4.000"	.500"
For Models: FR7.3					
<b>A-BB1846</b>	20.000"	18.250"	1.250"	4.000"	.500"
For Models: SEVERAL					
<b>A-BB1847</b>	20.000"	18.250"	1.250"	4.000"	.500"
For Models: SEVERAL					
<b>A-BB1848</b>	20.000"	18.250"	1.250"	4.000"	.375"
For Models: SEVERAL					
<b>A-BB1849</b>	19.500"	17.750"	1.250"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1853</b>	19.500"	17.750"	1.500"	2.000"	.500"
For Models: BR5, SUPERFLEX 15, SUPERFLEX HD, XL100					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: BR6, SUPERFLEX HD					
<b>Brown</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1860</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: 560, 572, 584					
<b>A-BB1838</b>	29.250"	27.500"	1.625"	1.750"	.375"
For Models: SEVERAL					
<b>A-BB1883</b>	22.750"	21.000"	1.250"	2.000"	.375"
For Models: 60, 66, 72					
<b>Ford / New Holland</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1882</b>	22.750"	21.000"	1.500"	2.000"	.375"
For Models: 22-100, 22-111, 22-112, 22-113, 22-117, 22-118, 22-119, 22-127, 22-127A, 22-140, 22-141, 22-171, 22-172, 22-176, 22-177, 22-178, 22-179, 22-194, 22-195, 22-196, 22-197, 22-198, 22-199, 22-220, 22-221, 22-222, 22-223, 22-47, 22-60, 22-70, 22-99, 505, 901, 908, 909, 910					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: 6' MODEL					

# BANANA BLADES



## Corsicana

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1860</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: F, G					

## Fred Cain

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1850</b>	17.500"	15.750"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1860</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1863</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1864</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1874</b>	18.750"	17.000"	1.500"	2.000"	.500"
For Models: 8' ROTARY CUTTER					
<b>A-BB1875</b>	18.750"	17.000"	1.500"	2.000"	.500"
For Models: 8' ROTARY CUTTER					
<b>A-BB1889</b>	29.750"	28.000"	1.500"	2.000"	.500"
For Models: SEVERAL					
<b>A-BB1895</b>	24.250"	22.500"	1.500"	2.250"	.500"
For Models: SEVERAL					

## Hico


PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1844</b>	24.375"	22.625"	1.500"	1.500"	.500"
For Models: 500S 5 Ft. Cutter					
<b>A-BB1850</b>	17.500"	15.750"	1.500"	2.000"	.500"
For Models: 400 4 Ft. Cutters					
<b>A-BB1860</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: M SERIES 4.5					
<b>A-BB1863</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: BOSS 10					
<b>A-BB1864</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: BOSS 10					
<b>A-BB1885</b>	26.750"	25.000"	1.500"	2.000"	.500"
For Models: 6 FT. ROTARY MOWER					
<b>A-BB1833</b>	33.000"	31.250"	1.500"	2.000"	.500"
For Models: 6 FT. ROTARY MOWER, FLS700, 7000, 7002					

## Hardee

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1882</b>	22.750"	21.000"	1.500"	2.000"	.375"
For Models: C160LT, C60LT					
<b>A-BB1860</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: T160, T160LT, T160LTO, T166, T166LT, T166LTO, T172, T172LT, T172LTO, T660, T8009LT, T8009PT, T8414, TH360					
<b>A-BB1867</b>	25.500"	23.750"	1.500"	3.000"	.500"
For Models: T666, T8215PTW					
<b>A-BB1868</b>	25.500"	23.750"	1.500"	3.000"	.500"
For Models: T666, T8215PTW					
<b>A-BB1869</b>	28.500"	26.750"	1.500"	2.000"	.500"
For Models: T672LT, T872LT, T872TP, T884LTW					
<b>A-BB1873</b>	22.500"	20.750"	1.500"	2.000"	.500"
For Models: T8009LT, T8009PT, T8414					

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

# BANANA BLADES



## Hardee cont.

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1874</b> For Models: T8398LT, T8398PT	18.750"	17.000"	1.500"	2.000"	.500"
<b>A-BB1875</b> For Models: H-CO, T52LT, T52PT, T8398LT, T8398PT	18.750"	17.000"	1.500"	2.000"	.500"
<b>A-BB1879</b> For Models: E36LT, E48LT	15.750"	14.000"	1.500"	1.500"	.375"
<b>A-BB1880</b> For Models: C148LT, E52PT	18.500"	16.750"	1.500"	2.000"	.375"
<b>A-BB1888</b> For Models: C172LT	29.000"	27.250"	1.500"	2.000"	.500"

## Imco

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1868</b> For Models: 5' AND 6'	25.500"	23.750"	1.500"	3.000"	.500"
<b>A-BB1889</b> For Models: 7' MODELS	29.750"	28.000"	1.500"	2.000"	.500"

## John Deere

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1850</b> For Models: (1008, 1408, 1418 ALL 4 Ft. Cutters)	17.500"	15.750"	1.500"	2.000"	.500"
<b>A-BB1851</b> For Models: 1008, 1408, 1418	17.500"	15.750"	1.500"	2.000"	.500"
<b>A-BB1874</b> For Models: 1008, 1408, 1414, 1418	18.750"	17.000"	1.500"	2.000"	.500"
<b>A-BB1875</b> For Models: 1008, 1408, 1418, 403	18.750"	17.000"	1.500"	2.000"	.500"
<b>A-BB1876</b> For Models: 1008, 1408, 1418	18.750"	17.000"	1.500"	1.000"	.500"
<b>A-BB1877</b> For Models: 1008, 1408, 1418	18.750"	17.000"	1.500"	1.000"	.500"
<b>A-BB1889</b> For Models: 603	29.750"	28.000"	1.500"	2.000"	.500"
<b>A-BB1896</b> For Models: 1008, 1508, 1517, 1518, 509, 516, 616, 717, 727, 737	21.750"	20.000"	1.500"	2.500"	.500"
<b>A-BB1897</b> For Models: 1008, 1018, 1508, 1517, 1518	21.750"	20.000"	1.500"	2.500"	.500"

## King Kutler


PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1835</b> For Models: L60-HD, P60-HD	23.750"	22.000"	1.500"	2.375"	.500"
<b>A-BB1836</b> For Models: L72 HD, L72 RD, L84 HD, P72 RD, P84 HD	29.500"	27.750"	1.500"	2.375"	.500"
<b>A-BB1889</b> For Models: SEVERAL	29.750"	28.000"	1.500"	2.000"	.500"

## Land Pride

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1885</b> For Models: 35120, 45180	26.750"	25.000"	1.500"	2.000"	.500"
<b>A-BB1875</b> For Models: RC1548	18.750"	17.000"	1.500"	2.000"	.500"
<b>A-BB1886</b> For Models: 35120, 45180	26.750"	25.000"	1.500"	2.000"	.500"
<b>A-BB1889</b> For Models: 1572, 3584	29.750"	28.000"	1.500"	2.000"	.500"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# BANANA BLADES



<b>Long</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1878</b> For Models: SEVERAL	15.500"	13.750"	1.500"	1.500"	.500"
<b>A-BB1867</b> For Models: SEVERAL	25.500"	23.750"	1.500"	3.000"	.500"
<b>A-BB1881</b> For Models: SEVERAL	20.250"	18.500"	1.500"	2.000"	.500"
<b>A-BB1880</b> For Models: SEVERAL	18.500"	16.750"	1.500"	2.000"	.375"
<b>A-BB1882</b> For Models: SEVERAL	22.750"	21.000"	1.500"	2.000"	.375"
<b>A-BB1896</b> For Models: SEVERAL	21.750"	20.000"	1.500"	2.500"	.500"
<b>A-BB1895</b> For Models: SEVERAL	24.250"	22.500"	1.500"	2.250"	.500"
<b>Mohawk</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1850</b> For Models: (1360, 840 ALL 4 Ft. Cutters)	17.500"	15.750"	1.500"	2.000"	.500"
<b>A-BB1863</b> For Models: 15' FLEXWING	24.500"	22.750"	1.500"	2.000"	.500"
<b>A-BB1867</b> For Models: 720	25.500"	23.750"	1.500"	3.000"	.500"
<b>Modern</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1859</b> For Models: SEVERAL	22.500"	20.750"	1.500"	3.000"	.375"
<b>Mono</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1866</b> For Models: 5 FT. ROTARY MOWERS	25.500"	23.750"	1.500"	2.000"	.500"
<b>Miscellaneous</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1830</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	19.00"	17.25"	.875"	.375"	.375"
<b>A-BB1839</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	24.500"	22.750"	1.500"	1.000"	.500"
<b>A-BB1840</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	24.500"	22.750"	1.500"	1.000"	.500"
<b>A-BB1841</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	23.750"	22.000"	1.625"	1.000"	.500"
<b>A-BB1857</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	20.000"	18.250"	1.500"	3.000"	.500"
<b>A-BB1858</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	20.000"	18.750"	1.500"	3.000"	.500"
<b>A-BB1894</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	21.750"	20.000"	1.375"	3.500"	.500"
<b>A-BB1832</b> For Models: SEVERAL Rotary Cutters / Check Dimensions	16.000"	14.250"	1.000"	-	.375"
<b>A-BB1842</b> For Models: SEVERAL	23.750"	22.000"	1.625"	1.000"	.500"

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


# BANANA BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

<b>Rhino</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1831</b> For Models: SE6	24.375"	22.625"	1.000"	1.750"	.375"
<b>A-BB1832</b> For Models: SEVERAL	16.000"	14.250"	1.000"	-	.375"
<b>A-BB1845</b> For Models: SR20	30.500"	28.750"	1.500"	2.000"	.500"
<b>A-BB1855</b> For Models: SATURN 8	20.000"	18.250"	1.000"	2.000"	.500"
<b>A-BB1856</b> For Models: SATURN 8	20.000"	18.250"	1.000"	2.000"	.500"
<b>A-BB1865</b> For Models: 1008 FLEX 15, FLEX 15 RH	24.750"	23.000"	1.375"	3.000"	.500"
<b>A-BB1871</b> For Models: CYCLONE 72, FLEX 15 Center	28.000"	26.250"	1.375"	3.000"	.500"
<b>A-BB1872</b> For Models: 1008 FLEX 15, CYCLONE 60, FLEX 15 LH	24.750"	23.000"	1.375"	3.000"	.500"
<b>A-BB1922</b> For Models: SR20	30.500"	28.750"	1.500"	2.000"	.500"
<b>A-BB1924</b> For Models: SATURN 5', SATURN 6'	24.250"	22.500"	1.000"	3.000"	.375"
<b>Rollins</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1863</b> For Models: ECONO 6'	24.500"	22.750"	1.500"	2.000"	.500"
<b>Sidewinder</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1853</b> For Models: GB144, GB48, RS160, RS213, SW66	19.500"	17.750"	1.500"	2.000"	.500"
<b>A-BB1860</b> For Models: 605, 660, GB60, GB602, SW72	22.500"	20.750"	1.500"	2.000"	.500"
<b>A-BB1864</b> For Models: FW215 CW, FW215 Flex Wing (RH)	24.500"	22.750"	1.500"	2.000"	.500"
<b>A-BB1866</b> For Models: FW215, FW215 Flex Wing (LH)	25.500"	23.750"	1.500"	2.000"	.500"
<b>A-BB1869</b> For Models: 6X6, GB722, GB842, SW642	28.500"	26.750"	1.500"	2.000"	.500"
<b>A-BB1880</b> For Models: GB-50, SX-50	18.500"	16.750"	1.500"	2.000"	.375"
<b>A-BB1882</b> For Models: 5X5, K-60, SX-60	22.750"	21.000"	1.500"	2.000"	.375"
<b>Taylor (Midland)</b>					
PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1850</b> For Models: SEVERAL	17.500"	15.750"	1.500"	2.000"	.500"
<b>A-BB1885</b> For Models: 240 - 66"	26.750"	25.000"	1.500"	2.000"	.500"
<b>A-BB1889</b> For Models: 240 - 72"	29.750"	28.000"	1.500"	2.000"	.500"

# BANANA BLADES



## Tiger

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1854</b>	19.750"	18.000"	1.500"	2.000"	.500"
For Models: ROTARY HIGHWAY MOWERS					
<b>A-BB1890</b>	16.250"	14.500"	1.500"	2.000"	.500"
For Models: BOOM MOWER					

## Terrain King

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1843</b>	24.375"	22.625"	1.500"	1.500"	.500"
For Models: HYDRO 15, TK15, X5					
<b>A-BB1854</b>	19.750"	18.000"	1.500"	2.000"	.500"
For Models: 60" VERSA MOWER, 72" VERSA MOWER					
<b>A-BB1895</b>	24.250"	22.500"	1.500"	2.250"	.500"
For Models: (HYDRO 15, TK15, X5 ALL LH)					

## Woods-Copeland

PART	OVERALL LENGTH (A)	HOLE CTR-END (B)	BOLT HOLE (C)	OFFSET (D)	THICKNESS (E)
<b>A-BB1852</b>	18.625"	16.750"	.875"	1.000"	.375"
For Models: 80, B080, B80, B80U, C080, C80, C80U, D08, D80, K4, M80, MB80					
<b>A-BB1859</b>	22.500"	20.750"	1.500"	3.000"	.375"
For Models: 60-2, 60-3, 60-4, E60, M5-3, M5-4					
<b>A-BB1861</b>	24.000"	22.250"	1.500"	2.000"	.375"
For Models: D210R-2, D210-R3, D315-2, D315-3, MR105, R105, S105-1, S105-2, SM2090					
<b>A-BB1862</b>	24.000"	22.250"	1.500"	2.000"	.375"
For Models: 121					
<b>A-BB1863</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: D210-3, D210R-2, D315-2, D315-3, DM2090, HD315-5, S105-3					
<b>A-BB1864</b>	24.500"	22.750"	1.500"	2.000"	.500"
For Models: 3180, HD315-5					
<b>A-BB1881</b>	20.250"	18.500"	1.500"	2.000"	.500"
For Models: 208, B315					
<b>A-BB1889</b>	29.750"	28.000"	1.500"	2.000"	.500"
For Models: 211, 213, 213Q, 214Q, 214R, 315, 320, 84-1, B106, M84, MB106, MR107, R107, SM214, SM215					
<b>A-BB1895</b>	24.250"	22.500"	1.500"	2.250"	.500"
For Models: 3180 LH					
<b>A-BB1920</b>	29.750"	28.000"	1.500"	2.000"	.375"
For Models: 211, 213, 213Q, 214Q, 214R, 215, 315, 320, HS106-1, HS106-2, HS106-3, S106-3, SM214					
<b>A-BB1921</b>	29.750"	28.000"	1.500"	1.250"	.500"
For Models: 72-1, 72-3, 84-2					
<b>A-BB1926</b>	14.250"	12.500"	.875"	.250"	.375"
For Models: SEVERAL					
<b>A-BB1927</b>	18.625"	16.750"	.875"	1.000"	.375"
For Models: 80, B80, B80U, C080, C80, C80U, D080, D80, MB80					

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.