


ROTARY CUTTER BLADES



Alamo


PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-752974	CCW	30.750"	1.516"	4.000"	.500"	-	3.500"
<i>For Models: (A141V, A201V, A848)</i>							

Bush Hog

A-67743BH	CW lift	17.125"	1.500"	4.000"	.500"	14.625"	2.500"
<i>For Models: (1268, 268 ALL 8 Ft. Mowers, LH)</i>							
A-67744BH	CCW lift	17.125"	1.500"	4.000"	.500"	14.625"	2.500"
<i>For Models: (1268, 268 ALL 8 Ft. Mowers, RH), SQ84 Squealer 7 Ft. Mower)</i>							
A-7828BH	CW lift	19.250"	1.500"	4.000"	.500"	16.750"	2.500"
<i>For Models: (109, 109 OFFSET, 1109, 1109 OFFSET, 1166, 1209, 12512, 13108, 13108 OFFSET, 160, 1600, 166, 2512, 3108, 3108 OFFSET, 3209, 3209 OFFSET)</i>							
A-7829BH	CW lift	19.250"	1.500"	4.000"	.500"	16.750"	2.500"
<i>For Models: (109, 1109, 1166, 1209, 12512, 13108, 160, 1600, 166, 2512, 3108, 3209)</i>							
A-86664BH	CCW lift	20.750"	1.500"	4.000"	.500"	18.250"	2.500"
<i>For Models: (13368, 3214, 3368)</i>							
A-86665BH	CW lift	20.750"	1.500"	4.000"	.500"	18.250"	2.500"
<i>For Models: (13368, 3214, 3368)</i>							
A-78494BH	CW lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
<i>For Models: (13126R, 13126S, 3126R, 3126S)</i>							
A-78495BH	CCW lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
<i>For Models: (13126R, 13126S, 3126R, 3126R Offset, 3126S, 3126S Offset)</i>							
A-90015BH	CCW lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
<i>For Models: (3126, 3210)</i>							
A-90014BH	CW lift	24.000"	1.500"	4.000"	.500"	21.500"	2.500"
<i>For Models: (3126, 3210)</i>							
A-78496BH	CW	20.750"	1.516"	4.000"	.500"	-	2.500"
<i>For Models: (13168, 3168)</i>							
A-78497BH	CCW	21.000"	1.500"	4.000"	.500"	-	2.500"
<i>For Models: (13168, 3168)</i>							
A-81395BH	CCW	24.625"	1.265"	3.000"	.375"	22.125"	2.375"
<i>For Models: (RAZORBACK RZ60)</i>							
A-63968BH	CW/CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (SM160, SM60)</i>							
A-462BH	CCW	24.750"	1.500"	3.500"	.500"	22.250"	2.000"
<i>For Models: (105, 12, 205, 255, 266, 305, 502, 600, RB60, SQ60, SQ600-3, SQ60-5)</i>							
A-11150BH	CW lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
<i>For Models: (1126, 1226, 126, (12610, 12615 ALL LH), 1315, 2315, 2415, 2510, (2610, 2615 ALL LH), 315, (3610, 3615 ALL LH))</i>							
A-36ULBH	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (105, 12, 205, 255, 266, 305, 502, 6, 600, RB60)</i>							
A-36BH	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (6, 12, 105, 205, 255, 266, 305, 502, 600, RB60, SQ60)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


ROTARY CUTTER BLADES



PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-7555BH	CCW lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
<i>For Models: (105, 1126, 1126 OFFSET, 12, 1226, 126, 126 OFFSET, 12610 RH, 12615, 1310, 1315, 205, 206, 2315, 2415, 2510, 255, 2610 RH, 2615 RH, 266, 275, 285, 305, 310, 315, 3610 RH, 3615, 502, 600, RB60, SQ60, SQ600-3, SQ60-5)</i>							
A-7278BH	CCW	27.750"	2.000"	5.000"	.625"	25.250"	2.625"
<i>For Models: (1406, 406 ALL Extra Heavy Duty Blade)</i>							
A-304BH	CCW	27.750"	1.500"	3.000"	.500"	25.250"	2.000"
<i>For Models: (1206, 206, 306, SQ72-4)</i>							
A-463BH	CCW	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
<i>For Models: (1206, 1256, 206, 256, 306, SQ720, SQ720-3, SQ72-4)</i>							
A-7556BH	CCW lift	27.750"	1.500"	4.000"	.500"	25.250"	2.500"
<i>For Models: (1206, 1256, (12610, 12615, 1310, 1315 ALL Center), 12720, 206, (2315, 2415 ALL Center), 256, (2610, 2615 ALL Center), 2720, 276, 286, 306, (310, 315 ALL Center), (3610, 3615 ALL Center), SQ720, SQ720-3, SQ72-4)</i>							
A-7557BH	CCW lift	30.750"	1.500"	4.000"	.500"	28.250"	2.500"
<i>For Models: (1207, 1220 Center & RH, 1257, 1287, 1307, 207, 220 Center & RH, 257, 2620 Center & RH, 277, 287, 307, SQ7, SQ840)</i>							
A-67327BH	CCW	30.750"	1.500"	3.000"	.500"	28.250"	2.500"
<i>For Models: (SQ72, SQ72-2, SQ72-3)</i>							
A-464BH	CCW	30.750"	1.500"	3.500"	.500"	28.250"	2.000"
<i>For Models: (1207, 1257, 1307, 207, 257, 307)</i>							
A-60528BH	CW	31.000"	1.500"	4.000"	.500"	-	Flat
<i>For Models: (2620 LH)</i>							
A-183BH	Flat	30.750"	1.516"	3.000"	.500"	-	2.500"
<i>For Models: (207)</i>							
A-6739BH	Flat	24.750"	1.516"	4.000"	.500"	-	2.500"
<i>For Models: (1050, 12, 126, 2315, 2610L, 275, 285, 305, SM60)</i>							
A-6740BH	Flat	27.750"	1.516"	4.000"	.500"	-	2.500"
<i>For Models: (1115S, 2315, 2610L, 276, 286, 305)</i>							
A-6741BH	Flat	30.750"	1.516"	4.000"	.500"	-	2.500"
<i>For Models: (277, 287, 307)</i>							
A-86666BH	Double Edge	20.000"	1.500"	4.000"	.500"	17.750"	2.00"
<i>For Models: (13368, 3368)</i>							
A-90242		27.750"	1.500"	4.000"	.500"	25.250"	2.500"
<i>For Models: (2720, SEVERAL)</i>							
BMB							
A-8197		20.130"	1.516"	3.000"	.500"	-	2.500"
<i>For Models: (BR5, SUPERFLEX 15)</i>							
A-80A18090	CW Rotation	27"	"	3.000"	-	25.000"	4.500"
<i>For Models: (TBR144)</i>							
Case-IH							
A-IM602		31.500"	1.500"	4.000"	.500"	29.000"	1.500"
<i>For Models: (600, 602 ALL 6 Ft.)</i>							
A-474025R1		14.500"	.500"	3.000"	.750"	Reversible	
<i>For Models: (C2)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

ROTARY CUTTER BLADES



Ford / New Holland

PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-220633	CCW	22.000"	1.500"	3.000"	.375"	20.500"	2.000"
<i>For Models: (22-100, 22-111, 22-112, 22-113, 22-117, 22-118, 22-119, 22-127, 22-127A, 22-140, 22-141, 22-171, 22-172, 22-176, 22-177, 22-178, 22-179, 22-194, 22-195, 22-196, 22-197, 22-198, 22-199, 22-220, 22-221, 22-222, 22-223, 22-47, 22-60, 22-70, 22-99, 505, 901, 908, 909, 910)</i>							
A-221854	CCW twist	22.250"	1.500"	3.000"	.375"	20.500"	2.000"
<i>For Models: (22-111, 22-113, 22-127, 22-127A, 22-140, 22-141, 22-171, 22-172, 22-176, 22-177, 22-178, 22-179, 22-196, 22-197, 22-198, 22-199, 22-47, 22-60, 22-70, 505, 901, 908, 909, 910)</i>							
A-REX500905	<i>For Models: (SEVERAL (72-83) w/ 42" Cut, SEVERAL (72-83) w/ 50" Cut)</i>						
A-JAC330720	<i>For Models: (SEVERAL (72-83) w/ 42" Cut, SEVERAL (72-83) w/ 50" Cut)</i>						

Fred Cain

A-72280	CCW lift	19.750"	1.500"	4.000"	.500"	16.750"	2.500"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-360UL	CCW lift	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-4620	CCW	24.750"	1.500"	3.500"	.500"	22.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-3040	CCW	27.750"	1.500"	3.000"	.500"	25.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-4630	CCW	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-4640	CCW	30.750"	1.500"	3.500"	.500"	28.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							

Hico


A-422HC	CCW	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
<i>For Models: (6 FT. ROTARY MOWER)</i>							
A-420HC	CCW	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
<i>For Models: (5 FT. ROTARY MOWERS)</i>							
A-420UL	CCW lift	24.750"	1.500"	3.500"	.500"	22.125"	2.000"
<i>For Models: (5 FT. ROTARY MOWERS)</i>							

Hardee

A-C1256	CCW lift	18.750"	1.500"	3.500"	.500"	16.500"	2.000"
<i>For Models: (T8398 LT/PT)</i>							
A-C1257	CW lift	18.750"	1.500"	3.500"	.500"	16.500"	2.000"
<i>For Models: (T8398 LT/PT)</i>							
A-C49HDRC	CCW	22.750"	1.500"	3.500"	.500"	20.250"	2.750"
<i>For Models: (H-CO, T160, T160LT, T160LTO, T166, T166LT, T166LTO, T172, T172LT, T172LTO ALL Heavy Duty, Except 66" & 72" w/ Round Blade Holder)</i>							
A-C49A	CCW	23.000"	1.500"	3.000"	.500"	20.500"	3.000"
<i>For Models: (52LT, 60LT, 60LTO, 66LT, 66LTO, 72LT, H360CO, HS260CO, T160LT, T160LTO, T166LT, T166LTO, T172LT, T172LTO)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


ROTARY CUTTER BLADES



PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-C49RC	CCW	23.000"	1.500"	3.000"	.500"	20.500"	2.500"
<i>For Models: (H-CO, T160, T160LT, T160LTO, T166, T166LT, T166LTO, T172, T172LT, T172LTO ALL Except 66" & 72" w/ Round Blade Holder)</i>							
A-C49ND	CW/CCW	23.000"	1.500"	3.000"	.500"	20.500"	2.500"
<i>For Models: (H-CO, T160, T160LT, T160LTO, T166, T166LT, T166LTO, T172, T172LT, T172LTO ALL Except 66" & 72" w/ Round Blade Holder)</i>							
A-C469ND	CW/CCW	26.000"	1.500"	3.500"	.500"	23.500"	3.000"
<i>For Models: (C66, H8, PW, T8215 ALL w/ Round Blade Holder)</i>							
A-C1169L	CCW	26.000"	1.500"	3.500"	.500"	23.500"	3.000"
<i>For Models: (H8115AIS, T8215PTW ALL For 66" Mower w/ Round Blade Holder)</i>							
A-C1169R	CW	26.000"	1.500"	3.500"	.500"	23.500"	3.000"
<i>For Models: (H8115AIS, T8215PTW ALL For 66" Mower w/ Round Blade Holder)</i>							
A-C470	CCW	28.750"	1.500"	3.500"	.500"	26.250"	3.000"
<i>For Models: (772, T484LT, T484PT, T884LT, T884PT ALL w/ Round Blade Holder)</i>							
Imco							
A-10751	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-10751UL	CCW lift	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
A-10750		30.500"	1.532"	3.000"	.500"	27.750"	1.250"
<i>For Models: (ROTARY MOWER - CHECK DIM.)</i>							
John Deere							
A-W45327	CCW	21.500"	1.500"	4.000"	.500"	19.500"	3.000"
<i>For Models: (CX15, CX20 ALL Center & RH Wing), HX10, (HX15, HX20 ALL Center & RH Wing), MX10, MX5, MX6)</i>							
A-W45326	CW	21.500"	1.500"	4.000"	.500"	19.500"	3.000"
<i>For Models: ((CX15, CX20 ALL LH Wing), HX10, (HX15, HX20 ALL LH Wing), MX10)</i>							
A-W34286	CW/ CCW	11.000"	1.391"	3.000"	.500"	9.500"	-
<i>For Models: (205, 227, 307)</i>							
A-W43048	Flat Offset	21.750"	1.500"	4.000"	.50"	19.750"	2.750"
<i>For Models: (1008, 1508, 509, 609, 709)</i>							
A-W43043	CW	21.875"	1.500"	4.000"	.500"	19.750"	2.500"
<i>For Models: (1008, 1508, 727, 737)</i>							
A-W43040	CCW	21.875"	1.500"	4.000"	.500"	19.750"	2.500"
<i>For Models: (1008, 1508, 509, 609, 709, 727, 737, 1518)</i>							
A-W43049	Flat Offset	18.250"	1.500"	4.000"	.500"	16.250"	2.750"
<i>For Models: (1008, 1408, 1418)</i>							
A-W44235	CW Lift	18.250"	1.500"	4.000"	.500"	16.250"	2.750"
<i>For Models: (1008, 1408, 1418)</i>							
A-W44236	CCW	18.250"	1.500"	4.000"	.500"	16.250"	3.000"
<i>For Models: (1008, 1408, 1418)</i>							
A-W43051		18.250"	1.500"	3.000"	-	16.250"	Flat
<i>For Models: (1008, 1408, 1418)</i>							
A-W43043	CW	21.875"	1.500"	4.000"	.500"	19.750"	2.500"
<i>For Models: (1008, 1508, 1518, 727, 737)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

ROTARY CUTTER BLADES



King Kutter

PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-12891453		24.063"	.531"	2.000"	.250"	-	-
<i>For Models: (SEVERAL)</i>							
A-12891452		20.063"	.531"	2.000"	.250"	-	-
<i>For Models: (SEVERAL)</i>							
A-190124KK	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (SEVERAL Check Dimensions)</i>							
A-190224KK	CCW	24.750"	1.500"	3.000"	.500"	22.250"	2.000"
<i>For Models: (SEVERAL Check Dimensions)</i>							
A-190230KK	CCW Lift	27.750"	1.500"	3.500"	.500"	25.250"	2.000"
<i>For Models: (SEVERAL Check Dimensions)</i>							

Land Pride

A-820-067C		24.000"	1.500"	3.000"	.500"	-	2.000"
<i>For Models: (1560, 2560)</i>							
A-820-066C		30.500"	1.500"	3.000"	.500"	-	2.000"
<i>For Models: (1572, 2572, 2584)</i>							
A-820075C		27.000"	1.500"	3.000"	.500"	-	Flat
<i>For Models: (35120)</i>							
A-820076C		27.000"	1.500"	4.000"	.500"	-	-
<i>For Models: (35120)</i>							
A-820-168C	CCW	29.000"	-	4.000"	.500"	-	-
<i>For Models: (5010, 5015, 6010, 6015 ALL Center)</i>							
A-820-169C	CCW	23.000"	-	4.000"	5.000"	-	-
<i>For Models: (5010, 5015, 6010, 6015 ALL RH Wing)</i>							
A-820-170C	CW	23.000"	-	4.000"	.500"	-	Flat
<i>For Models: (5010, 5015, 6010, 6015 ALL LH Wing)</i>							

Mono


A-850500	CCW	25.000"	1.500"	3.000"	.500"	22.500"	2.000"
<i>For Models: (5 FT. ROTARY MOWERS)</i>							
A-850500UL	CCW lift	25.000"	1.500"	3.000"	.500"	22.500"	2.000"
<i>For Models: (5 FT. ROTARY MOWERS)</i>							

Rhino

A-37118	CCW lift	18.750"	1.375"	3.625"	.500"	17.000"	flat
<i>For Models: (SEVERAL)</i>							
A-681063	CW/CCW	19.125"	1.375"	4.000"	.500"	17.125"	1.750"
<i>For Models: (1310)</i>							
A-0731340000	CW lift	19.750"	1.000"	3.000"	.375"	18.000"	4.500"
<i>For Models: (SATURN 8)</i>							
A-0731350000	CCW lift	19.750"	1.000"	3.000"	.375"	18.000"	4.500"
<i>For Models: (SATURN 8)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.


ROTARY CUTTER BLADES



PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-00753841	CW lift <i>For Models: (TW96 RH)</i>	19.875"	1.500"	3.500"	.500"	17.375"	2.500"
A-00753842	CCW lift <i>For Models: (TW96 LH)</i>	19.875"	1.500"	3.500"	.500"	17.375"	2.500"
A-8589	CCW lift <i>For Models: (A960, TW60)</i>	20.125"	1.500"	4.000"	.500"	18.125"	2.500"
A-8590	CW lift <i>For Models: (SR15M SN <13831, TW120)</i>	20.125"	1.500"	4.000"	.500"	18.250"	2.250"
A-00759338	CW lift <i>For Models: (SR15 LH Wing Blade)</i>	21.500"	1.375"	4.000"	.500"	19.500"	3.000"
A-00759339	CCW lift <i>For Models: (ROTARY CUTTER: SR15 RH Wing Blade)</i>	21.500"	1.375"	4.000"	.500"	19.500"	3.000"
A-652011R	CW <i>For Models: (1008 FLEX 15)</i>	24.500"	1.375"	4.000"	.500"	22.500"	3.562"
A-622013F	CCW lift <i>For Models: (1008 FLEX 15, CYCLONE 60)</i>	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
A-0652010030	CW/CCW <i>For Models: (CYCLONE 60, FLEX 15, GR60, S128, (FL10M, FL15M ALL L&R))</i>	24.500"	1.391"	4.000"	.500"	22.500"	3.562"
A-622013F	CCW lift <i>For Models: (1008, CY60, FLEX 15, SA15 ALL LH)</i>	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
A-652011RF	CW lift <i>For Models: (1008, FLEX 15, SA15 ALL RH)</i>	24.750"	1.375"	4.000"	.500"	22.500"	3.562"
A-8588	CCW lift <i>For Models: (A972, TW144, TW72)</i>	26.250"	1.500"	4.000"	.500"	24.250"	2.500"
A-71103	CCW lift <i>For Models: (SEVERAL)</i>	24.500"	1.0625"	3.000"	.375"	22.750"	3.000"
A-582013	CCW <i>For Models: (CYCLONE 72 Main Blade, FLEX 15 Center Blade, (FL10M, FL15M ALL Center)</i>	27.000"	1.375"	4.000"	.500"	25.500"	3.250"
A-582013F	CCW <i>For Models: (1008 Center, CY72, (FLEX 15, SA15, FL10M, FL15M ALL Center), SR15)</i>	27.750"	1.375"	4.000"	.500"	25.500"	3.250"
A-7520	<i>For Models: (TW84)</i>	30.750"	1.500"	4.000"	.500"	-	2.50"
A-761273	<i>For Models: (TW144)</i>	26.250"	1.500"	4.000"	.500"	-	1.750"
A-752974	CCW <i>For Models: (SR20)</i>	30.750"	1.516"	4.000"	.500"	-	3.500"
A-401-036	<i>For Models: (V152 Center)</i>	8.812"	1.000"	3.000"	.500"	-	-
A-00761319	<i>For Models: (SE5)</i>	24.125"	1.390"	3.00"	0.4375"	22.50"	

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

ROTARY CUTTER BLADES



Schulte

PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-401-014	CCW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
<i>For Models: (SEVERAL Check Dimensions)</i>							
A-401-015	CCW Lift	27.750"	1.500"	4.000"	.500"	25.250"	2.500"
<i>For Models: (SEVERAL Check Dimensions)</i>							
A-401-028		27.750"	1.500"	4.000"	.500"	-	2.750"
<i>For Models: (V1280 RH, 5026 RH & Center)</i>							
A-401-027		24.750"	1.500"	4.000"	.500"	-	2.750"
<i>For Models: (5026 RH, RH, (S100, S150, XH1000, XH1500 ALL RH))</i>							
A-401-026		24.750"	1.500"	4.000"	.500"	-	2.750"
<i>For Models: (5026 LH, LH, (S100, S150, XH1000, XH1500 ALL LH))</i>							
A-401-032		27.750"	1.500"	4.500"	.500"	-	2.750"
<i>For Models: (5026 LH, (S100, S150 ALL Center), V1280 LH, XH600, (XH1000, XH1500 ALL Center)</i>							
A-401-033		24.750"	1.500"	4.000"	.375"	-	Flat
<i>For Models: (5026 Upper Blade RH, RH / Upper Blade LH, LH)</i>							
A-401-034		27.750"	1.500"	4.000"	.375"	-	-
<i>For Models: (5026 Upper Blade RH / Upper Blade LH / Upper Blade Center)</i>							
A-401-013	CW Lift	24.750"	1.500"	4.000"	.500"	22.250"	2.500"
<i>For Models: (SEVERAL Check Dimensions)</i>							
A-401-036		8.812"	1.000"	3.000"	.500"	-	-
<i>For Models: (V1280 Center)</i>							

Sidewinder


A-21301SW	CW/CCW	17.375"	1.500"	3.000"	.375"	15.375"	2.000"
<i>For Models: (GB-50, SX-50)</i>							
A-15074SW	CCW	20.250"	1.500"	3.500"	.500"	17.750"	4.500"
<i>For Models: (GB144, GB48, RS160, RS213, SW66)</i>							
A-17065SW	CCW	22.375"	1.500"	3.000"	.375"	20.375"	2.000"
<i>For Models: (5X5, K-60, SX-60)</i>							
A-15096SW	CCW	22.750"	1.500"	3.500"	.500"	20.250"	2.750"
<i>For Models: (605, 660, GB60, GB602, SW72)</i>							
A-20013SW	CW/CCW	25.437"	1.500"	3.500"	.500"	22.937"	3.125"
<i>For Models: (FW215 CCW & CW)</i>							
A-15120SW	CCW	28.750"	1.500"	3.500"	.500"	26.250"	3.000"
<i>For Models: (6X6, GB722, GB842, SW642)</i>							
A-22334SW	CW/CCW	24.875"	1.500"	3.500"	.500"	22.375"	3.00"
<i>For Models: (PG210)</i>							

Sitrex

A-48007700	CW	16.875"	.750"	2.000"	.250"	8.250"	-
<i>For Models: (SM120)</i>							

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

ROTARY CUTTER BLADES



Tiger

PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-UTB2031A	CW <i>For Models: (BOOM MOWER)</i>	17.375"	1.500"	5.000"	.500"	14.687"	1.500"
A-TB2031	CW <i>For Models: (BOOM MOWER)</i>	17.375"	1.500"	5.000"	.500"	14.687"	2.500"
A-6T1021R	CW lift <i>For Models: (BOOM MOWER)</i>	20.000"	1.500"	4.000"	.500"	17.500"	2.500"
A-6T1021RS	CW twist <i>For Models: (ROTARY HIGHWAY MOWERS)</i>	20.000"	1.500"	4.000"	.500"	17.500"	2.500"

Terrain King


A-02726900	CW/CCW <i>For Models: (A1300M, A-BOOM)</i>	14.500"	1.500"	5.000"	.625"	12.000"	flat
A-2886200	CW lift <i>For Models: (5 FT VERSA MOWER, 6 FT VERSA MOWER)</i>	20.125"	1.500"	4.000"	.500"	17.875"	2.500"
A-750787	CW <i>For Models: (HYDRO 15, TK15, X5)</i>	24.750"	1.500"	3.500"	.500"	22.250"	3.00"
A-750788	CCW lift <i>For Models: (HYDRO 15, TK15, X5)</i>	24.750"	1.500"	3.500"	.500"	22.250"	3.000"
A-750121	CW/CCW <i>For Models: (TK15)</i>	24.875"	1.500"	3.500"	.500"	22.375"	3.000"

Woods

A-15789	CCW <i>For Models: (D080-2, MD080-2)</i>	18.500"	1.500"	3.000"	.375"	17.125"	twist
A-3900WD	CCW twist <i>For Models: (80, B080, B80, B80U, C080, C80, C80U, D08, D80, K4, M80, MB80)</i>	18.375"	.875"	3.000"	.375"	17.125"	.750"
A-3975WD	CW <i>For Models: (42)</i>	19.562"	.875"	2.500"	N/A	N/A	N/A
A-6330WD	CCW <i>For Models: (60-2, 60-3, 60-4, E60, M5-4, RM5-3)</i>	22.000"	1.500"	3.000"	.375"	20.500"	2.000"
A-6866WD	CCW twist <i>For Models: (60-4, E60, M5, M60)</i>	22.000"	1.500"	3.000"	.375"	20.500'	2.375"
A-12892WD	CCW lift <i>For Models: (2090, 312, D210R, D315, HD210R-2, HD210R-3, (HD210R-4, HD315-4 ALL Early), MR105, R105, S105 Early, S105-1, S105-2)</i>	24.000"	1.500"	4.000"	.375"	21.375"	2.625"
A-24771WD	CW lift <i>For Models: (2090, D210R, D315, D315-2, D315-3, (HD210R-4, HD315-4 ALL Early), HS105, HS105-1, HS105-2, HS105-3, S105 Late, S105-3)</i>	24.000"	1.500"	4.000"	.375"	21.500"	2.625"
A-8825WD	CCW <i>For Models: (211, 213Q, 214, 214Q, 214R, 215, 315, 320, 84-1, B106, B214, B214QR, B320, CADET 72, CADET 8, M214, M84, MB106, MR107, R107, S106 Early, S214, SM214)</i>	30.000"	1.500"	4.000"	.500"	27.375"	3.750"
A-8820WD	CW lift <i>For Models: (211, 213Q, 214, 214Q, 214R, 215, 315, 320, B214, B214QR, B320, HS106, M214, S106 Late, S106-3, S214, SM214)</i>	30.000"	1.500"	4.000"	.500"	27.375"	3.750"
A-6323WD	CCW lift <i>For Models: (213, 320, 72, 84, B315-4, M72, M84, MD172, MD184, XT184)</i>	30.250"	1.500"	4.000"	.401"	27.375"	N/A

Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

ROTARY CUTTER BLADES



Parts are not original equipment parts and are not sponsored, affiliated, or otherwise connected with any major brand.

PART	DESCRIPTION	OVERALL LENGTH (A)	HOLE DIA. (B)	WIDTH (C)	THICKNESS (D)	CENTER HOLE/END (E)	OFFSET HEIGHT (F)
A-11768WD <i>For Models: (2080)</i>	CW Lift Type	20.125"	1.500"	4.000"	.375"	-	2.500"
A-11769WD <i>For Models: (2080)</i>	CCW Lift Type	20.125"	1.500"	4.000"	.375"	-	2.500"
A-17130WD <i>For Models: (121, 0121)</i>	CW Lift Type	24.000"	1.500"	4.000"	.375"	21.500"	2.625"
A-19160WD <i>For Models: (3180, HD315-5)</i>	CCW Lift Type	25.250"	1.500"	4.000"	.500"	-	2.500"
A-19161WD <i>For Models: (3180, HD315-5)</i>	CW Lift Type	25.250"	1.500"	4.000"	.500"	-	3.000"
A-4742WD <i>For Models: (121, MD160, 0121)</i>	CCW Lift Type	24.000"	1.500"	4.000"	.375"	21.500"	2.625"